Invitation for Expression of Interest

For Providing Onsite Training to Rural Masons through Recognition of Prior Learning

Under Pradhan Mantri Awaas Yojna-Gramin

Address for communication

OFFICE OF THE COMMISSIONER

PANCHAYAT & RURAL DEVELOPMENT

PANJABARI, JURIPAR, GUWAHATI-37

PHONES:- 0361 - 2333659/2333673/2333645

FAX:- 0361 - 2333693

E-Mail:- ruralassam@yahoo.co.in

Website:https://rural.assam.gov.in

GOVERNMENT OF ASSAM

GOVERNMENT OF ASSAM COMMISSIONERATE OF PANCHAYAT AND RURAL DEVELOPMENT PANJABARI, GUWAHATI-37.

EoI No: CPRD/PMAY-G/81/2021/240 Dated: 15-12-2021

Invitation for Expression of Interest

Office of Commissioner, Panchayat and Rural Development invites Expression of interest (EOI) from Training providers affiliated/accredited by any one of the below National/State level organization

- 1. Training institutes affiliated by NCVT/DGT
- 2. Affiliated with Construction Skill Development Council (CSDC) of India
- 3. National Skill Development Council (NSDC) approved Training Providers
- 4. Training institutes affiliated to State Skill Development Missions (SSDMs)
- 5. Training Institution affiliated by any State/Central body as per the norms of NQAF at the minimum of NQAF level accreditation.
- 6. State Run Training Institutes affiliated with CSDCI

for conducting onsite training of Rural Mason under Recognition of Prior Learning (RPL) mode for the construction of houses under Pradhan Mantri Awaas Yojna - Gramin.

Agencies/organizations/institutions fulfilling the eligibility criteria can access and download the complete EOI document and submit the EoI online in https://assamtenders.gov.in.

THE MAJOR EVENTS UNDER SUBMISSION OF THE EOI PROCESS ARE:

S1 No	Key Events	Important Dates
1	Publishing Date	15-12-2021
2	Document Download Start Date	17-12-2021 at 03:00 PM
3	Bid Submission Start Date	17-12-2021 at 03:00 PM
4	Bid Submission Closing Date and Time	30-12-2021 at 03:00 PM
5	Technical Bid Opening Date	31-12-2021 at 03:00 PM

Copy to:

- 1. The Director, Information and Public Relations, Assam, Dispur, Guwahati-6. He is requested kindly to publish the certain of the NIT in two local leading dailies (one Assamese & one English) and two national dailies for wide publicity & submit the triplicate copy of bill.
- 2. Members of the Committee for preparation, scrutiny & Evaluation of EOI for Rural Mason Training under RPL Mode.
- 3. Web Manager (https://rural.assam.gov.in) to upload the invitation for EoI.
- 4. Person concerned for publishing the invitation for EoI on the notice board at the O/o CPRD.

Detailed Terms & Condition of e-Bid for invitation of EOI

<u>INDEX</u>

SI No.	Brief Description	Page No
1	Data Sheet	1-2
2	Section I Letter of Invitation	3
3	Section II Information to the Organization	4-9
4	Section III Terms of Reference (ToR)	10-36
5	Section IV Pre Qualification Proposal Submission Form	37-42
6	Section V Technical Proposal Submission Form	43-52
7	Section VI Annexure	53-59

DATA-SHEET

1	EoI Ref No.	CPRD/PMAY-G/81/2021/240	
2	Name of the EOI	Selection of organization to provide onsite training to rural mason under Recognition of Prior Learning (RPL) of Rural Mason Training Program under Pradhan Mantri Awaas Yojna - Gramin in Assam	
3	Procuring entity	Pradhan Mantri Awaas Yojna - Gramin Office of the Commissioner, P&RD, Assam	
4	Procuring Entity's Complete address	Office of the Commissioner Panchayat & Rural Development Panjabari, Juripar, Guwahati-37	
5	• Bid Security (Refundable)	2% of total Bid Amount to be paid online in favour of Commissioner, Panchayat & Rural Development,	
	• E-Processing Fees	Assam, Panjabari, Juripar, Guwahati-37 Rs 6,000.00 to be paid online in favour of Commissioner, Panchayat & Rural Development, Assam, Panjabari, Juripar, Guwahati-37 (Applicable only in case of new bidders)	
	amount must be deposited.	ted within prescribed date and time, otherwise the bids	
6	Bid Copies : Only for Technical	Must be submitted online.	
7	Bidding Process	Technical Bid system	
8	Deadline for Submission of the EOI online	30th December, 2021 till 1500 Hours	
9	Technical bid OpeningDate & Time Address	31st December, 2021 at 1500 Hours at the Office of Commissioner, Panchayat and Rural Development, Panjabari, Guwahati-37, Assam.	
10	Method of selection	Technically qualifying organization whose technical proposal secure a score above the minimum qualifying marks of 60 in the technical evaluation stage and scores the highest, will be awarded the contract. The procuring entity may select more than one organization on the basis of scores obtained. For more details see Section 2 (Point No. 5)	
11	Validity of the Proposal Bid Validity	Proposal shall remain valid for a period of 90 days from the date of opening of the technical proposal. The procuring entity reserves the right to reject a proposal valid for a shorter period as non responsive and will	

12	For grievance handling procedure during procurement process	a	The designation and complete address of the first appellate authority is The Commissioner, Panchayat and Rural Development, Assam.		
		a	The designation and complete address of Second appellate authority is Principal Secretary, Panchayatand Rural Development, Assam.		

Note:

- 1. In case of any discrepancies regarding the provision, terms and conditions stated in the bidding documents of the EoI, Act and subsequent Rules as per Govt. of Assam, and its provisions thereof shall prevail.
- 2. TPs will get honorarium @ Rs 53.90/- Per hour per trainees for 9 days, (as per Common Norms laid down by MSDE,GOI), which would include cost of mobilization of Trainees, making available training infrastructure and common tools (spades, mortar pans etc), provisions of training materials to trainees as well as placement of trainees.

SECTION - I LETTER OF INVITATION (LOI)

Dated: 15-12-2021

EOI No. CPRD/PMAY-G/81/2021/240

<u>Name of the Assignment</u>: Provide onsite Training to Rural Mason under recognition of prior leaning (RPL) to construct houses under Pradhan Mantri Awaas Yojana in Assam.

- 1. Pradhan Mantri Awaas Yojna-Gramin, Office of Commissionerate, Panchayat and Rural Development, invites EoI from the eligible Agencies/Organization/Institutions under the selection process of service provider to provide onsite Training to Rural Mason to construct houses under Pradhan Mantri Awaas Yojana-Gramin in Assam. More details on the proposed assignment are provided in Section III, Terms of Reference (ToR) of this EOI Document.
- 2. Organization/Training providers will be selected as per procedure as prescribed in this EOI Document in accordance with the policies and procedure.
- 3. Bid Security (Refundable) of amount equal to 2% of total Bid Amount & E-Processing Fees of amount Rs. 6000.00 should be paid online in favour of "Commissioner, Panchayat& Rural Development, Assam, Panjabari, Juripar, Guwahati-37 within the prescribed date and time.
- 4. The last date and time of submission of the proposal complete in all respect is 30th December, 2021 up to 1500 Hours and the date for opening of the technical bid is 31st December, 2021 at 1500 Hours and will be held in presence of the organization's representative at the specified addressed mentioned in the Data Sheet. Representative of the Organization may attend the meeting with due authorization letter on behalf of the Organization.
- 5. This EOI includes the following sections:
 - Cover I (Required Documents)
 - Letter of Invitation (Section I)
 - Information to the Organization (Section II)
 - Terms of References (ToR) (Section III)
 - Pre-Qualification Proposal Submission Forms (Section IV)
 - Technical Proposal Submission Forms (Section V)
 - Annexure (Section VI)
- 6. While all information/data given in the EoI are, to the best of the procuring entity's knowledge, accurate within the consideration of scope of the proposed assignment procuring entity holds no responsibility for accuracy of information and it is the responsibility of the organization to check the validity of information/data included in this document. The procuring entity reserves the right to accept/reject/all proposals/cancels the entire selection process at any stage without assigning any reasons thereof.

<u>SECTION - II</u> <u>INFORMATION TO ORGANISATION (ITO)</u>

1. Pre Qualification Criteria:

To participate in the selection process, the eligible organization must possess the following specified criteria and to this effect must produce supportive documents / information as part of their pre-qualification proposal.

- a. Status: Only single entity legally registered parties affiliated /accredited by any one of the following National/State Level organization:
 - ❖ Training institutes affiliated by NCVT/DGT
 - ❖ Affiliated with Construction Skill Development Council (CSDC) of India
 - ❖ National Skill Development Council (NSDC) approved Training Providers
 - ❖ Training institutes affiliated to State Skill Development Missions (SSDMs)
 - ❖ Training Institution affiliated by any State/Central body as per the norms of NQAF at the minimum of NQAF level accreditation.
 - ❖ State Run Training Institutes affiliated with CSDCI
- b. The organisation should be registered under Society registration Act-1860 /Indian Trust Act/Indian Company Act etc. as applicable.
- c. The organization should have audited (with Seal) statement of accounts for the last 3 consecutive financial year (2018-19. 2019-20, 2020-21) showing the annual average turnover of Rs. 75 Lakhs or more during the same period. (For those organisations who do not have the audited statement of accounts for FY 2020-21; they may submit the provisional financial statement against FY 2020-21 only.)
- d. The organisation should have carried out at least one work of similar nature of minimum Rs. 50 Lakhs in single work order.
- e. The organization should have an established office (HQ/Branch/Coordination) in the geographical area of Assam, preferably at Guwahati.
- f. The organization should not be black listed or debarred by any Govt. department or similar organizations.
- g. The organisation should have a proven track record of at least 1 year of experience in the implementation of On Site Mason Training or RPL Mode Training.
- h. The organisation must have trained and qualified trainers & demonstrator with minimum experience of 3 years in performing similar nature of work. Certificate of ToT is to be provided.

2. Requisite documents to be submitted along with the Pre-Qualification Proposal:

The Agency has to furnish the following documents duly signed in along with their Pre Qualification Proposal:

- a. Copy of accreditation / registration and other related documents as per status in Pre Qualification criteria with current validity.
- b. Filled in EOI submission check list in original (Annexure -A)
- c. Covering Letter (PRE QUAL FORM-1) on organization's letterhead requesting to participate in the selection process.
- d. Copy of Certificate of Incorporation/Registration under Society registration Act-1860/Indian Trust Act/Indian Company Act etc. as applicable.
- e. Copy of PAN/TAN.
- f. Copy of GST Registration Certificate.

- g. Copies of IT return for the last 3 financial years
- h. General Details of Agency (PRE QUAL FORM-2)
- i. Financial Details of Agency (PRE QUAL FORM -3) along with all the supporting documents as required.
- j. Power of Attorney (PRE QUAL FORM-4) in favour of the person signing the bid on behalf of the agency.
- k. Assignment of similar nature (Past Experience Details) (PRE QUAL FORM -5).
- 1. Undertaking for not having black listed by any Central/State Govt. /any other autonomous bodies during the last 3 years as per (PRE QUAL FORM-6).
- m. Annexure IV
- n. Annexure V
- o. Proof of carrying out at least one work of similar nature of minimum Rs. 50 Lakhs in single work order.
- p. Proof of having an established office (HQ/Branch/Coordination) in the geographical area of Assam, preferably at Guwahati.
- q. ToT Certificate.

Failure to submit any one of the documents as mentioned above along with the Pre-Qualification Proposal will result in outright rejection of the proposal.

3. Submission of Proposal:

Bid must be submitted online in Cover I on portal <u>www.assamtenders.gov.in</u> The agencies/firms/organizations are expected to upload EoI documents and all other requisite forms after self-attestation with seal.

4. Opening of the Proposal:

The cover -1 containing "PRE QUALIFICATION AND TECHNICAL PROPOSAL" will be opened online in the initial stage by the procuring entity in presence of the agency's representative at the location, data and time specified in the data sheet. The procuring entity will constitute the Evaluation Committee (EC) to evaluate the proposals submitted by agencies. Only one representative with proper authorization letter from the participated organization shall be allowed to attend the technical proposal opening meeting.

5. Evaluation of Proposals:

A two stage process will be adopted & followed as explained below in evaluating of the proposals during the overall selection process.

- **Technical Bid Opening (1st Stage):** Preliminary scrutiny of pre-qualification proposals will be done to determine whether the proposals are generally in order & complete and if the requisite documents have been properly furnished by the organization or not. Proposals not conforming to the preliminary requirements will be rejected from further selection process.
- **Technical Evaluation (2nd Stage):** Technical proposals will be opened and evaluated of those organizations only, who qualify the pre-qualification stage. The technical evaluation of the pre-qualified proposal shall be done in respect to the parameters and the respective weightage allocated against each criteria as specified in the table below:

SL No	Evaluation Indicators/Parameters	Maximum Marks
1	Total number of trainees provided mason / assistant	40

	mason training. (For each 100 trainees: 1 Mark)	
2	% passing of the trainees in the last financial year. For	20
	each 5 % = 1.5 mark	
3	Approach & Methodology of the Organization in response	
	to ToR:	
	Project Understanding	40
	Technical Approach & Methodology	
	Staff Composition	
	Work Plan, Implementation Strategy & Issues and	
	Challenges)	

The agencies, whose technical proposal secure a score above the minimum qualifying marks of 60 in the technical evaluation stage and scores the highest, will be awarded the contract. The procuring entity can also develop some sub- criteria's within the indicators given in, wherever required within the above indicator while evaluation stage. The procuring entity may select more than one organization based on scores obtained.

6. Performance Bank Guarantee (PBG):

Within 15 days after notifying the acceptance of proposal for the award of contract, the qualified Organization shall must have to furnish a Performance Security in form of the Bank Guarantee/NSC/FDR amounting to 5% of the contract value in favour of "Commissioner, Panchayat & Rural Development, Assam, Panjabari, Juripar, Guwahati-37" and the same shall be returned at the time of release of final payment subject to successful competition of the contract.

7. Contract Negotiation:

Contract negotiation will be held at the date, time and address as intimated to the selected organization. The invited organization will, as a pre-requisite for attendance at the negotiations, confirm availability of all the proposed staff for the assignment. Representative conducting negotiations on behalf of the organization must have written authority to negotiate and conclude a contract. Negotiation will be performed covering technical, availability of proposed professionals etc.

8. Award of Contract:

After completion of the contract negotiation stage, the procuring entity will notify the successful Organization in writing by issuing a letter of Intent (LoI) for signing of the contract and promptly notify the all other organization about the results of the selection process. The successful organization will be asked to sign the contract after fulfilling all formalities within 15 days of the contract shall be made except by written amendment signed by both the parties. The contract would be valid for 12 months from the date of effectiveness of the contract and may be extended on mutual consent as per rules. Sub-contracting is not allowed under this agreement.

9. Time:

Time is the essence of the contract. The time allowed for the start of trainings shall be strictly followed otherwise the bidder shall be liable to pay compensation at the rate of 0.2 % of the total contract value/part work order value per day of delay on the part of the bidder subject to a maximum of 5 % of the total contract value. The decision of the procuring entity about the delay shall final and binding.

10. Conflict of Interest:

Conflict of interest exists in the event of:

- a. Conflicting assignments, typically monitoring and evaluation/assessment of the same project by the eligible organization.
- b. Organization, agencies or institutions (Individuals or organizations) who have a business or family relation with the procuring entity directly or indirectly.
- c. Practical prohibition under the anti-corruption of the Government of India and Government of Assam.

The organization are to be careful so as not to give rise to a situation where there will be any conflict of Interest with the procuring entity as this would amount to their disqualification and breach of contract.

11. Disclosure:

- a. Organization has an obligation to disclose any actual or potential conflict of interest. Failure to do so may lead to disqualify of the Organization or termination of its contract.
- b. Organization must disclose if there are or have been the subject of any proceedings (such as blacklisting) or other arrangements relating to bankrupt, insolvency or the financial standing of the organization, including but not limited to appointment of any officer such as a receiver in relation to the organization's or of any other similar proceedings.
- c. Organizations must disclose if they have been convicted of or are the subject of any proceeding related to :
 - ❖ A criminal offence or other serious offence punishable under the law of the land, or where they have been found by any regulator or professional body to have committed professional misconduct.
 - Corruption including the offer or receipt of an inducement of any kind in relation to obtaining any contract
 - ❖ Failure to fulfil any obligations in any jurisdiction relating to the payment of taxes or social security contributions.

12. Anti-corruption Measures:

- a. Any effort by organization to influence the procuring entity in the evaluation and ranking through financial proposals and recommendation for award of contract may result in the rejection of the proposal.
- b. A recommendation for award of contract shall be rejected if it is determined that the recommended organization has directly or through an agent, engaged in corrupt, fraudulent, collusive or coercive practices in competing for the contract of question. In such cases, the procuring entity shall blacklist the organization either indefinitely or for a stated period of time, disqualifying it from participating in any related bidding process for said period.

13. Language of Proposal:

The proposal and all related correspondence exchanged between the Organization and the procuring entity shall be written in the Assamese/English language. Supporting documents and printed literature that are part of the proposal may not be in any other language provided they have accompanied by an accurate translation of the relevant passages in English with self –certification for accuracy as in which case for the purposes of interpretation of the proposal, the translated version shall govern.

14. Cost of Bidding:

The organization shall bear all costs associated with the preparation and submission of its proposal. The procuring entity shall not be responsible or liable for those costs, regardless of the conduct or outcome of the selection process.

15. Legal Jurisdiction:

All legal disputes are subject to the jurisdiction of civil court of Guwahati only.

16. Governing Law and Penalty:

The rights and obligations of the procuring entity and the organization under this contract will be governed by the prevailing laws of Govt. of Assam, Govt. of India. Failure on organization's part to furnish the deliverables as per the agreed time line will enforce a penalty as per the rules and laws of Govt. of Assam.

17. Confidentiality:

Information relating to evaluation of proposals and recommendation concerning awards shall not be disclosed to the organization who submitted the proposals or to other persons not officially concerned with the process, until the publication of the award of contract. The undue use of confidential information by any organization related to the process may result in rejection of its proposal and may be subjected to the provisions of procuring entity's anti-fraud and anit-corruption policy. During the execution of the assignment except with prior written consent of the procuring entity, the organization or its personnel shall not at any time communicate to any person or entity any confidential information acquired in the course of the contract.

18. Amendment of the EoI Document:

At any time before submission of proposals, the procuring entity may amend the EoI by issuing and addendum on the P&RD Portal and e-proc website and official website of P&RD respectively. Any such addendum will be binding on all the organizations. To give organizations reasonable time in which to take an addendum into account preparing their proposals, procuring entity may, at its discretion, extend the deadline for the submission of proposals.

19. Procuring entity's right to accept any proposal and to reject any or all Proposals:

The procuring entity reserves the right to accept or reject any proposal, and to amend the bidding/selection/evaluation process and reject all proposals at any time prior to award of contract, without assigning any reason there of and thereby incurring any liability to the organization.

20. Entitlement & Rights:

Panchayat & Rural Development Dept, Govt. of Assam shall be entitled to all intellectual property and other proprietary rights including but not limited to patents, copyrights and trademarks with regard to documents and other materials which bear a direction relation to or are prepared or collected in consequence or in the course of the execution of this contract. At procuring entity's request, the organization shall take all necessary steps to submit them to procuring entity compliance with the requirement of the contract.

21. Replacement of Key Personnel:

The Key professionals to be deployed under this contract must be dedicated in nature. However the procuring entity reserves the right to request the organization to replace the assigned personnel if they are not performing to the level of satisfaction. After writing notification the organization will provide CV of appropriate candidates within 7 (seven) days for review and approval. The organization must replace the personnel within 7 (Seven) working days from the date of approval of replacement. If any one of the key personnel become unavailable /leave the project for any reason midway under the contract, the organization must notify the procuring entity at least 14 (fourteen) days in advance, and obtain the approval prior to making any substitution. In notifying by the procuring entity, the organization shall provide an explanation of circumstances necessitating the proposed replacement and submit justification and qualification of replacement personnel in sufficient details to permit evaluation of the impact on the engagement. Acceptance of the replacement person by the procuring entity shall not relieve the organization from responsibility for failure to meet the requirements of the contract. Change in key professionals beyond the allowable limit of the contract leads to implication of liquidated damage.

SECTION - III TERMS OF REFERECNE (TOR)

Annexure - I

Terms of Reference (ToR) for selection of organization to provide onsite training for Rural Masons under RPL for construction of houses under Pradhan Mantri Awaas Yojana-Gramin (PMAY-G) in Assam :

1. Background:

Panchayat & Rural Development Department, Government of Assam invites expression of interest in the form of project proposals from training providers (TP) affiliated / accredited by any one of the below National/State level organization:

- ❖ Training institutes affiliated by NCVT/DGT
- ❖ Affiliated with Construction Skill Development Council (CSDC) of India
- ❖ National Skill Development Council (NSDC) approved Training Providers
- ❖ Training institutes affiliated to State Skill Development Missions (SSDMs)
- ❖ Training Institution affiliated by any State/Central body as per the norms of NQAF at the minimum of NQAF level accreditation.
- ❖ State Run Training Institutes affiliated with CSDCI

to provide training for Rural Masons for construction of houses under Pradhan Mantri Awaas Yojana-Gramin.

PMAY-G aims to provide a Pucca house with basic amenities to all houseless and households living in Kutcha and dilapidated house by 2022 and ensure construction of quality houses. The house shall be constructed or got constructed by the beneficiary himself/herself under PMAY-G. The number of house-cum-training sites may be increased/decreased as per requirements. District wise targets for construction and rural masons training (RPL Mode) are given in the annexure-E.

2. Recognition of Prior Learning (RPL):

Recognition of Prior Learning (RPL) is a very important function associated with National Skills Qualification Framework (NSQF). RPL can be defined as "the process of recognizing previous learning, often experiential, towards gaining a qualification" RPL is of particular significance in India, especially in the informal sector that employs more than 90% of the workforce (MoSPI 2012). While there is an urgent need for skill-based training for jobs across the country, the absence of sufficient training avenues prevents the existing workforce to acquire skill training through normal channels. As a result most of the skill acquisition takes place through informal channels such as family occupation, on-the-job training under master craftsman, etc. Reconciling these issues is at the core of RPL framework in India. RPL will be particularly beneficial for those masons who have worked for long time but have no certificate or training for the same. The RPL process will enable them to get certified and also learn missing elements. This will not only enable the socio economic mobility of workers, but will also facilitate professional/educational progression. An 'outcomes-based' approach is integral to the RPL that will recognize skills of workers irrespective of the methods/inputs utilized

RPL under Rural Mason Training is envisaged where the Masons who have experience of more than 5 years. All the processes for RPL will remain same as Rural

Mason training except the fact that the training will be of 9 days To ensure that the candidates being assessed under RPL are also oriented to the standardized NSQF levels, QP-NOSs of Rural Mason that would be followed under RPL will be same as the one followed under Rural Mason fresh training.

Successfully assessed candidates under RPL will be eligible for Rural Mason Level 4 certification.

3. Objective of the Assignment:

The objective of the training is to enhance the skill of rural semi-skilled mason to build affordable, appropriate, healthy and sustainable houses under PMAY-G.

4. Proposed Methodology:

- ❖ On Site training (RPL) to be conducted as per the qualification pack (QP-NOS) for Rural Masons/ RPL curriculum of rural mason provided by the MoRD and on state specific designs for Pradhan Mantri Awaas Yojana-Gramin.
- ❖ Training Providers (TPs) have to assist block team during the screening of the beneficiary out of the list of beneficiary of the particular pocket, screening of aspirants for training prior to initiation of the training.
- * Training Providers (TPs) will do counseling of trainees which would involve informing them about the process and duration of training, assessment and certification requirements and any other details about the training.
- ❖ The final list of trainees after counseling will be submitted to the block/district/state by the Training Provider (TP) and TP will register these candidates in Awaasoft.
- ❖ The TP will also be responsible for facilitating assessment by ways of requesting DGT/CSDCI to appoint qualified and certified assessors and provide the necessary infrastructure and materials for assessment. The assessment will be done through CSDCI/DGT Assessment bodies (or through any assessing body(s) recognized as per the guidelines of the MoRD (GoI)). The assessing bodies should have assessors located in Assam. The Training Provider shall not be an assessing body.
- ❖ List of Trainees to be uploaded by TPs on the website of assessing body for certification process.
- ❖ TPs will submit the attendance sheet of the trainees to block office for the payment of compensatory wages (**As per MGNREGA wage**) to them. The trainees must have a minimum attendance 8 out 9 days to receive the wage compensation.

5. Support to be provided by Panchayat and Rural Development, Assam:

Training cost will be borne by the department. Training Provider (TP) will get honorarium @ Rs 53.90/- Per hour per trainees for 9 days, (as per Common Norms laid down by MSDE, GOI, which would include cost of mobilization of Trainees, making available training infrastructure and common tools (spades, mortar pans etc), provisions of training materials to trainees as well as placement of trainees.

6. Key Qualifications and Experience of the Organization:

a. The agency should be registered under Society Registration Act 1860/Indian Trust Act/Indian Company Act and Registered /enlisted with CSDCI/DGT/NCVT/NSDC/SSDMs.

- b. The agency should have an established office (HQ/Branch/Coordination) in the geographical area of Assam preferable at Guwahati.
- c. The organization should have audited (with Seal) statement of accounts for the last 3 consecutive financial year (2018-19. 2019-20, 2020-21) showing the annual average turnover of Rs. 75 Lakhs or more during the same period. (For those organizations who do not have the audited statement of accounts for FY 2020-21; they may submit the provisional financial statement against FY 2020-21 only.)
- d. The agency should have carried out at least one work of similar nature of minimum Rs. 50 Lakhs in single work order.
- e. The agency should not be black listed or debarred by any Govt. Dept or similar organization.
- f. The agency should have a proven track record of at least 1 years of experience in implementation of similar National/State/Regional level construction training.
- g. The agency should have a permanent team of Trainers, Demonstrators for the conduction of training. Certificate of ToT is to be provided.
- h. The Organization/firm should have a Project Manager, Project Coordinator, Trainer, Demonstrator as per CSDCI/DGT experience and qualification.

7. Duration of Contract:

The total duration of the contract is 12 Months and may be extended on mutual consent as per rules. Sub-contracting is not allowed under this agreement

8. Payment Terms:

Payment to the Agency/Organization will be made as per the schedule given below:

Installment	% of Total Cost	Output Parameter	
I	100 %	Upon successful certification of candidates (per candidates basis) (No payment will be made against the failed/absent candidates)	

9. Reporting:

The agency will inform the progress report during the training to the concerned block and district authorities so that the same can be verified by state representative from Office of Commissionerate, Panjabari, Guwahati about the standard of training. And that report of the training to be submitted after the completion of the training to the state.

10. RPL Curriculum of Rural Mason (72 hours + 8 hours Assessments) :

- This course encompasses 8 out of 8 National Occupational Standards (NOS) of "Rural Mason" Qualification Pack issued by "SSC: Construction Skill Development Council".
- 9 Days Training, considering the training timing from 9 am to 6 pm which includes a break of an hour for lunch.

SL No	Module	Theory Duration	Practical Duration	Key Learning Outcomes	Corresponding NOS Code	Equipment Required
Day1	Introductio n to Rural Mason job role	4 hrs.	Nil	 Role description/ functions of the job role Expected personal attributes from the job role Brief description about course content, mode of learning and duration of course Future possible progression and career development provisions on completion of the course 		1. Classroom having seating capacity for the batch. 2. Blackboard
Day 1/2	Mark layout for foundation, walls, soak pit/septic tank and monitor earthwork activities for rural constructio n	2 hrs.	8 hrs.	 Theory Basic principles of measurement, simple arithmetic's and conversion of units of measurement. Different tools and equipment required for layout marking, their use and maintenance Different tools and equipment required for earthwork, their use and maintenance. Safe working practices followed for the work along with the use of appropriate PPE's for excavation work. Knowledge of how to use basic levelling tools in the masonry trade such as spirit level, water level, plumb bob, line thread. 3-4-5 method details and its use for squaring corners. Standard practices for layout of foundation, walls, columns, soak pits/septic tank etc. Standard practices for earthwork activities. Different sketches of layout of foundation and soak pit/septic tank etc. Knowledge about depth and plinth height in case of foundation Soak pit / septic 	CON/ N3601	1. Measuring tape 2. Trowels 3. Shovels 4. Spade 5. Chalk/ powder for marking 6. Wheelbarrow s 7. Plumb bob 8. Line string (line Dori) 9. Try square, 10.Spirit level 11.Steel or wooden scale 12.Rammers (hand held)

tank, its importance and purpose Nowledge about the suitable location and depth of soak pit / septic tank work space requirement for excavating an area Preparation of base and levelling in excavation works. Demonstration/Practical Demonstration/Practical Demonstration of base and interpreting details from the sketches/basic working drawing for excavation of foundations, soak pits/septic tanks etc. Demonstrate selection of appropriate tools for excavation and verifying its serviceability. Use of appropriate tools for excavation and verifying its serviceability. Use of appropriate the setting out of the layout for foundation, walls, and columns, soak pits/septic tank etc. as per provided in sketch. Demonstrate the enting out of the layout for foundation, walls, and columns, soak pits/septic tank etc. as per provided in sketch. Demonstrate the dentification of transfer of fevels as per requirement. Demonstrate the marking out of the center line of rooms by 3-4-5 method Perform checks for the diagonals ensuring they are same in length. Demonstrate the marking of center line and the center points about 2m away from the outer edge of excavation to act as guideline. Demonstrate the marking of center line for aeptic tank and checking of right angles at corners. Demonstrate the marking of soak pits and identify center point. Demonstrate the monitoring of excavation works by crasuring desired slope and depth of excavation is maintained. Demonstrate the compaction of surface	 		
e Knowledge about the suitable location and depth of soak, pit / septic tank • work space requirement for excavating an area • Preparation of base and levelling in excavation works. • Demonstration / Practical • Demonstration / Practical • Demonstrate reading and interpreting details from the sketches, basic working drawing for excavation of foundations, soak pits / septic tanks etc. • Demonstrate selection of appropriate tools for excavation and verifying its serviceability. • Use of appropriate PPE's during the task. • Demonstrate the setting out of the layout for foundation, walls, and columns, soak pits / septic tanks etc. • Demonstrate the setting out of the layout for foundation, walls, and columns, soak pits / septic tank etc. as per provided in sketch. • Demonstrate the identification of transfer of levels as per requirement. • Demonstrate the marking out of the center line of rooms by 3-4-5 method • Perform checks for the diagonals ensuring they are same in length. • Demonstrate the marking of center line and the center points about 2m away from the outer edge of excavation to act as guideline. • Demonstrate the marking of center line for septic tank and checking of right angles at corners. • Demonstrate the marking of sexavation to act as guideline. • Demonstrate the marking of center line for septic tank and checking of right angles at corners. • Demonstrate the marking of excavation works by ensuring desired slope and depth of excavation is maintained. • Demonstrate the compaction of surface		tank, its	
• Knowledge about the suitable location and depth of soak pit / septic tank • work space requirement for excavating an area • Preparation of base and levelling in excavation works. • Demonstrate reading and interpreting details from the sketches/basic working drawing for excavation of foundations, soak pits/septic tanks etc. • Demonstrate selection of appropriate tools for excavation of foundations, soak pits/septic tanks etc. • Demonstrate selection of appropriate tools for excavation and verifying its serviceability. • Use of appropriate the setting out of the layout for foundation, walls, and columns, soak pits/septic tank etc. as per provided in sketch. • Demonstrate the setting out of the layout for foundation, walls, and columns, soak pits/septic tank etc. as per provided in sketch. • Demonstrate the dedictification of transfer of levels as per requirement. • Demonstrate the marking out of the center line of rooms by 3-4-5 method • Perform checks for the diagonals ensuring they are same in length. • Demonstrate the marking of center line and the center points about 2m away from the outer edge of excavation to act as guideline. • Demonstrate the marking of center line for septic tank and checking of right angles at corners. • Demonstrate the marking of seriphery of soak pits and identify center point. • Demonstrate the marking of ergiphery of soak pits and identify center point. • Demonstrate the marking of excavation works by ensuring desired slope and depth of excavation is maintained. • Demonstrate the compaction of surface			
suitable location and depth of soak pit / septic tank • work space requirement for excavating an area • Preparation of base and levelling in excavation works. • Demonstrater reading and interpreting details from the sketches; basic working drawing for excavation of foundations, soak pits/septic tanks etc. • Demonstrate leaths etc. • Demonstrate leaths etc. • Demonstrate selection of appropriate tools for excavation and verifying its serviceability. • Use of appropriate tops for excavation and verifying its serviceability. • Use of appropriate the setting out of the layout for foundation, walls, and columns, soak pits/septic tank etc. as per provided in sketch. • Demonstrate the extent of transfer of levels as per requirement. • Demonstrate the identification of transfer of levels as per requirement. • Demonstrate the marking out of the leavent per requirement. • Demonstrate the marking of center line of rooms by 3-4-5 method • Perform checks for the diagonals ensuring they are same in length. • Demonstrate the marking of center line and the center points about 2m away from the outer edge of excavation to act as guideline. • Demonstrate the marking of enter line for spetic tank and checking of right angles at corners. • Demonstrate the marking of excavation to act as guideline. • Demonstrate the marking of excavation of six and identify center point. • Demonstrate the marking of periphetry of soak pits and identify center point. • Demonstrate the monitoring of excavation works by ensuring desired slope and depth of excavation is maintained. • Demonstrate the compaction of surface			
depth of soak pit / septic tank • work space requirement for excavating an area • Preparation of base and levelling in excavation works. Demonstration/ Practical • Demonstrate reading and interpreting details from the sketches/basic working drawing for excavation of foundations, soak pits/septic tanks etc. • Demonstrate selection of appropriate tools for excavation and verifying its serviceability. • Use of appropriate PPE's during the task. • Demonstrate the setting out of the layout for foundation, walls, and columns, soak pits/septic tank etc. as per provided in sketch. • Demonstrate the setting out of the layout for foundation, walls, and columns, soak pits/septic tank etc. as per provided in sketch. • Demonstrate the identification of transfer of levels as per requirement. • Demonstrate the marking out of the center line of rooms by 3-4-5 method • Perform checks for the diagonals ensuring they are same in length. • Demonstrate the marking of center line and the center points about 2m away from the outer redge of excavation to eat as guideline. • Demonstrate the marking of enter line for septic tank and checking of right angles at corners. • Demonstrate the marking of center line for septic tank and checking of right angles at corners. • Demonstrate the marking of center line for septic tank and checking of right angles at corners. • Demonstrate the marking of periphery of soak pits and identify center point. • Demonstrate the monitoring of excavation works by ensuring desired slope and depth of excavation is maintained. • Demonstrate the compaction of surface			
work space requirement for excavating an area Preparation of base and levelling in excavation works. Demonstration/Practical Demonstrate reading and interpreting details from the sketches/basic working drawing for excavation of foundations, soak pits/septic trans etc. Demonstrate selection of appropriate tools for excavation and verifying its serviceability. Use of appropriate PPE's during the task. Demonstrate the setting out of the layout for foundation, walls, and columns, soak pits/septic trank etc. as per provided in sketch. Demonstrate the setting out of the layout for foundation, walls, and columns, soak pits/septic tank etc. as per provided in sketch. Demonstrate the identification of transfer of fevels as per requirement. Demonstrate the diagonals ensuring they are same in length. Demonstrate the marking out of the center line of rooms by 3-4-5 method Perform checks for the diagonals ensuring they are same in length. Demonstrate the marking of center line and the center points about 2m sway from the outer edge of excavation to act as guideline. Demonstrate the marking of center line and the center points about 2m sway from the outer edge of excavation to set as guideline. Demonstrate the marking of enter line for septic tank and checking of right angles at corners. Demonstrate the marking of periphery of soak pits and identify center point. Demonstrate the monitoring of excavation works by ensuring desired slope and depth of excavation is maintained. Demonstrate the compaction of surface			
• work space requirement for exeavating an area • Preparation of base and levelling in excavation works. Demonstration/Practical • Demonstrate reading and interpreting details from the sketches/basic working drawing for exeavation of foundations, soak pits/septic tanks etc. • Demonstrate selection of appropriate tools for exeavation and verifying its serviceability. • Use of appropriate PPE's during the task. • Demonstrate the setting out of the layout for foundation, walls, and columns, soak pits/septic tank etc. as per provided in sketch. • Demonstrate the identification of transfer of levels as per requirement. • Demonstrate the identification of transfer of levels as per requirement. • Demonstrate the marking out of the center line of rooms by 3-4-5 method • Perform checks for the diagonals ensuring they are same in length. • Demonstrate the marking of center line and the center points about 2m away from the outer edge of exeavation to act as guideline. • Demonstrate the marking of center line for septic tank and checking of right angles at corners. • Demonstrate the marking of enter line for septic tank and checking of right angles at corners. • Demonstrate the marking of exeavation to works by ensuring desired slope and depth of exeavation is maintained. • Demonstrate the compaction of surface			
requirement for excavating an area • Preparation of base and levelling in excavation works. **Demonstration/Practical** • Demonstrate reading and interpreting details from the sketches/basic working drawing for excavation of foundations, soak pits/septic tanks etc. • Demonstrate tools for excavation and verifying its serviceability. • Use of appropriate PPE's during the task. • Demonstrate the setting out of the layout for foundation, walls, and columns, soak pits/septic tank etc. as per provided in sketch. • Demonstrate the sidentification of transfer of levels as per requirement. • Demonstrate the identification of transfer of levels as per requirement. • Demonstrate the marking out of the center line of rooms by 3-4-5 method • Perform checks for the diagonals ensuring they are same in length. • Demonstrate the marking of center line and the center points about 2m away from the outer edge of excavation to act as guideline. • Demonstrate the marking of center line for septic tank and checking of right angles at corners. • Demonstrate the marking of periphery of soak pits and identify center point. • Demonstrate the monitoring of excavation works by ensuring desired slope and depth of excavation is maintained. • Demonstrate the compaction of surface			
excavating an area Preparation of base and levelling in excavation works. Demonstration/ Practical Demonstrate reading and interpreting details from the sketches/basic working drawing for excavation of foundations, soak pits/septic tanks etc. Demonstrate selection of appropriate tools for excavation and verifying its serviceability. Use of appropriate PPE's during the task. Demonstrate the setting out of the layout for foundation, walls, and columns, soak pits/septic tank etc. as per provided in sketch. Demonstrate the setting out of the layout for foundation, walls, and columns, soak pits/septic tank etc. as per provided in sketch. Demonstrate the identification of transfer of levels as per requirement. Demonstrate the marking out of the center line of rooms by 3-45 method Perform checks for the diagonals ensuring they are same in length. Demonstrate the marking of center line and the center points about 2m away from the outer edge of excavation to act as guideline. Demonstrate the marking of right angles at corners. Demonstrate the marking of sake priphery of soak pits and identify center point. Demonstrate the marking of reght and identify center point. Demonstrate the monitoring of excavation works by ensuring desired slope and depth of excavation is maintained. Demonstrate the compaction of surface			
Preparation of base and levelling in excavation works. Demonstration/ Practical Demonstrate reading and interpreting details from the sketches/basic working drawing for excavation of foundations, soak pits/septic tanks etc. Demonstrate selection of appropriate tools for excavation and verifying its serviceability. Use of appropriate the PPE's during the task. Demonstrate the setting out of the layout for foundation, walls, and columns, soak pits/septic tank etc. as per provided in sketch. Demonstrate the setting out of the layout for foundation, walls, and columns, soak pits/septic tank etc. as per provided in sketch. Demonstrate the identification of transfer of levels as per requirement. Demonstrate the marking out of the center line of rooms by 3-4-5 method Perform checks for the diagonals ensuring they are same in length. Demonstrate the marking of center line and the center line for septic tank and checking of right angles at corners. Demonstrate the marking of center line for septic tank and checking of right angles at corners. Demonstrate the marking of periphery of soak pits and identify center point. Demonstrate the marking of seavation works by ensuring desired slope and depth of excavation is maintained. Demonstrate the compaction of surface			
levelling in excavation works. Demonstration/ Practical Demonstrate reading and interpreting details from the sketches/basic working drawing for excavation of foundations, soak pits/septic tanks etc. Demonstrate selection of appropriate tools for excavation and verifying its serviceability. Use of appropriate PPE's during the task. Demonstrate the setting out of the layout for foundation, walls, and columns, soak pits/septic tank etc. as per provided in sketch. Demonstrate the identification of transfer of levels as per requirement. Demonstrate the marking out of the center line of rooms by 3-4-5 method Perform checks for the diagonals ensuring they are same in length. Demonstrate the marking of center line and the center points about 2m away from the outer edge of excavation to act as guideline. Demonstrate the marking of center line and the center points about 2m away from the outer edge of excavation to act as guideline. Demonstrate the marking of enter line for septic tank and checking of right angles at corners. Demonstrate the marking of periphery of soak pits and identify center point. Demonstrate the morking of right angles at corners. Demonstrate the morking of soak pits and identify center point. Demonstrate the morking of soak pits and identify center point. Demonstrate the morking of soak pits and identify center point. Demonstrate the compaction of surface		=	
Demonstrate reading and interpreting details from the sketches/basic working drawing for excavation of foundations, soak pits/septic tanks etc. Demonstrate selection of appropriate tools for excavation and verifying its serviceability. Use of appropriate PPE's during the task. Demonstrate the setting out of the layout for foundation, walls, and columns, soak pits/septic tank etc. as per provided in sketch. Demonstrate the identification of transfer of levels as per requirement. Demonstrate the marking out of the center line of rooms by 3-4-5 method Perform checks for the diagonals ensuring they are same in length. Demonstrate the marking of center line and the center points about 2m away from the outer edge of excavation to act as guideline. Demonstrate the marking of center line and the center points about 2m away from the outer edge of excavation to act as guideline. Demonstrate the marking of one properties at the marking of center line for septic tank and checking of right angles at corners. Demonstrate the marking of soak pits and identify center point. Demonstrate the monitoring of excavation works by ensuring desired slope and depth of excavation is maintained. Demonstrate the compaction of surface		levelling in excavation	
Demonstrate reading and interpreting details from the sketches/basic working drawing for excavation of foundations, soak pits/septic tanks etc. Demonstrate selection of appropriate tools for excavation and verifying its serviceability. Use of appropriate PPE's during the task. Demonstrate the setting out of the layout for foundation, walls, and columns, soak pits/septic tank etc. as per provided in sketch. Demonstrate the identification of transfer of levels as per requirement. Demonstrate the marking out of the center line of rooms by 3-4-5 method Perform checks for the diagonals ensuring they are same in length. Demonstrate the marking of center line and the center points about 2m away from the outer edge of excavation to act as guideline. Demonstrate the marking of center line and the center points about 2m away from the outer edge of excavation to act as guideline. Demonstrate the marking of center line for septic tank and checking of right angles at corners. Demonstrate the marking of periphery of soak pits and identify center point. Demonstrate the monitoring of excavation works by ensuring desired slope and depth of excavation is maintained. Demonstrate the compaction of surface			
interpreting details from the sketches/basic working drawing for excavation of foundations, soak pits/septic tanks etc. • Demonstrate selection of appropriate tools for excavation and verifying its serviceability. • Use of appropriate PPE's during the task. • Demonstrate the setting out of the layout for foundation, walls, and columns, soak pits/septic tank etc. as per provided in sketch. • Demonstrate the identification of transfer of levels as per requirement. • Demonstrate the marking out of the center line of rooms by 3-4-5 method • Perform checks for the diagonals ensuring they are same in length. • Demonstrate the marking of center line and the center points about 2m away from the outer edge of excavation to act as guideline. • Demonstrate the marking of orenter line and the center points about 2m away from the outer edge of excavation to act as guideline. • Demonstrate the marking of orenter line for septic tank and checking of right angles at corners. • Demonstrate the marking of soak pits and identify center point. • Demonstrate the marking of periphery of soak pits and identify center point. • Demonstrate the moritoring of excavation works by ensuring desired slope and depth of excavation is maintained. • Demonstrate the compaction of surface			
the sketches/basic working for excavation of foundations, soak pits/septic tanks etc. Demonstrate selection of appropriate tools for excavation and verifying its serviceability. Use of appropriate PPE's during the task. Demonstrate the setting out of the layout for foundation, walls, and columns, soak pits/septic tank etc. as per provided in sketch. Demonstrate the identification of transfer of levels as per requirement. Demonstrate the marking out of the center line of roms by 3-4-5 method Perform checks for the diagonals ensuring they are same in length. Demonstrate the marking of center line and the center points about 2m away from the outer edge of excavation to act as guideline. Demonstrate the marking of center line for septic tank and checking of right angles at corners. Demonstrate the marking of right angles at corners. Demonstrate the marking of soak pits and identify center point. Demonstrate the marking of right angles at corners. Demonstrate the marking of soak pits and identify center point. Demonstrate the monitoring of excavation works by ensuring desired slope and depth of excavation is maintained. Demonstrate the compaction of surface			
working drawing for excavation of foundations, soak pits/septic tanks etc. Demonstrate selection of appropriate tools for excavation and verifying its serviceability. Use of appropriate PPE's during the task. Demonstrate the setting out of the layout for foundation, walls, and columns, soak pits/septic tank etc. as per provided in sketch. Demonstrate the identification of transfer of levels as per requirement. Demonstrate the marking out of the center line of rooms by 3-4-5 method Perform checks for the diagonals ensuring they are same in length. Demonstrate the marking of center line and the center points about 2m away from the outer edge of excavation to act as guideline. Demonstrate the marking of center line for septic tank and checking of right angles at corners. Demonstrate the marking of soak pits and identify center point. Demonstrate the marking of repripery of soak pits and identify center point. Demonstrate the marking of periphery of soak pits and identify center point. Demonstrate the monitoring dexcavation works by ensuring desired slope and depth of excavation is maintained. Demonstrate the compaction of surface			
excavation of foundations, soak pits/septic tanks etc. Demonstrate selection of appropriate tools for excavation and verifying its serviceability. Use of appropriate PPE's during the task. Demonstrate the setting out of the layout for foundation, walls, and columns, soak pits/septic tank etc. as per provided in sketch. Demonstrate the identification of transfer of levels as per requirement. Demonstrate the marking out of the center line of rooms by 3-4-5 method Perform checks for the diagonals ensuring they are same in length. Demonstrate the marking of center line and the center points about 2m away from the outer edge of excavation to act as guideline. Demonstrate the marking of right and checking of right angles at corners. Demonstrate the marking of roenter line for septic tank and checking of right angles at corners. Demonstrate the marking of soak pits and identify center point. Demonstrate the marking of soak pits and identify center point. Demonstrate the monitoring of excavation works by ensuring desired slope and depth of excavation is maintained. Demonstrate the compaction of surface			
foundations, soak pits/septic tanks etc. Demonstrate selection of appropriate tools for excavation and verifying its serviceability. Use of appropriate PPE's during the task. Demonstrate the setting out of the layout for foundation, walls, and columns, soak pits/septic tank etc. as per provided in sketch. Demonstrate the identification of transfer of levels as per requirement. Demonstrate the marking out of the center line of rooms by 3-4-5 method Perform checks for the diagonals ensuring they are same in length. Demonstrate the marking of center line and the center points about 2m away from the outer edge of excavation to act as guideline. Demonstrate the marking of renter line for septic tank and checking of right angles at corners. Demonstrate the marking of periphery of soak pits and identify center point. Demonstrate the monitoring of excavation works by ensuring desired slope and depth of excavation is maintained. Demonstrate the compaction of surface			
pits/septic tanks etc. Demonstrate selection of appropriate tools for excavation and verifying its serviceability. Use of appropriate PPE's during the task. Demonstrate the setting out of the layout for foundation, walls, and columns, soak pits/septic tank etc. as per provided in sketch. Demonstrate the identification of transfer of levels as per requirement. Demonstrate the marking out of the center line of rooms by 3-4-5 method Perform checks for the diagonals ensuring they are same in length. Demonstrate the marking of center line and the center points about 2m away from the outer edge of excavation to act as guideline. Demonstrate the marking of center line for septic tank and checking of right angles at corners. Demonstrate the marking of excavation to act as guideline. Demonstrate the marking of excavation to act as guideline. Demonstrate the marking of excavation to act as guideline. Demonstrate the marking of excavation to act as guideline. Demonstrate the marking of excavation to act as guideline. Demonstrate the marking of excavation to act as guideline.			
Demonstrate selection of appropriate tools for excavation and verifying its serviceability. Use of appropriate PPE's during the task. Demonstrate the setting out of the layout for foundation, walls, and columns, soak pits/septic tank etc. as per provided in sketch. Demonstrate the identification of transfer of levels as per requirement. Demonstrate the marking out of the center line of rooms by 3-4-5 method Perform checks for the diagonals ensuring they are same in length. Demonstrate the marking of center line and the center points about 2m away from the outer edge of excavation to act as guideline. Demonstrate the marking of enter line for septic tank and checking of right angles at corners. Demonstrate the marking of erenter line for septic tank and checking of right angles at corners. Demonstrate the marking of exert line for septic tank and checking of right angles at corners. Demonstrate the marking of exert line for septic tank and checking of right angles at corners. Demonstrate the marking of exert line for septic tank and checking of right angles at corners. Demonstrate the marking of exert line for septic tank and checking of right angles at corners. Demonstrate the marking of exert line for septic tank and checking of right angles at corners. Demonstrate the marking of exert line for septic tank and checking of right angles at corners. Demonstrate the marking of excavation works by ensuring desired slope and depth of excavation is maintained. Demonstrate the compaction of surface			
appropriate tools for excavation and verifying its serviceability. • Use of appropriate PPE's during the task. • Demonstrate the setting out of the layout for foundation, walls, and columns, soak pits/septic tank etc. as per provided in sketch. • Demonstrate the identification of transfer of levels as per requirement. • Demonstrate the marking out of the center line of rooms by 3-4-5 method • Perform checks for the diagonals ensuring they are same in length. • Demonstrate the marking of center line and the center points about 2m away from the outer edge of excavation to act as guideline. • Demonstrate the marking of center line for septic tank and checking of right angles at corners. • Demonstrate the marking of periphery of soak pits and identify center point. • Demonstrate the marking of right engles at corners. • Demonstrate the marking of center line for septic tank and checking of right angles at corners. • Demonstrate the marking of septiphery of soak pits and identify center point. • Demonstrate the marking of secavation works by ensuring desired slope and depth of excavation is maintained. • Demonstrate the compaction of surface			
excavation and verifying its serviceability. • Use of appropriate PPE's during the task. • Demonstrate the setting out of the layout for foundation, walls, and columns, soak pits/septic tank etc. as per provided in sketch. • Demonstrate the identification of transfer of levels as per requirement. • Demonstrate the marking out of the center line of rooms by 3-4-5 method • Perform checks for the diagonals ensuring they are same in length. • Demonstrate the marking of center line and the center points about 2m away from the outer edge of excavation to act as guideline. • Demonstrate the marking of center line for septic tank and checking of right angles at corners. • Demonstrate the marking of center line for septic tank and checking of right angles at corners. • Demonstrate the marking of center line for septic tank and checking of right angles at corners. • Demonstrate the marking of excavation to act as guideline. • Demonstrate the marking of or enter line for septic tank and checking of right angles at corners. • Demonstrate the marking of excavation works by ensuring desired slope and depth of excavation is maintained. • Demonstrate the compaction of surface			
Use of appropriate PPE's during the task. Demonstrate the setting out of the layout for foundation, walls, and columns, soak pits/septic tank etc. as per provided in sketch. Demonstrate the identification of transfer of levels as per requirement. Demonstrate the marking out of the center line of rooms by 3-4-5 method Perform checks for the diagonals ensuring they are same in length. Demonstrate the marking of center line and the center points about 2m away from the outer edge of excavation to act as guideline. Demonstrate the marking of right angles at corners. Demonstrate the marking of scenter line for septic tank and checking of right angles at corners. Demonstrate the marking of geriphery of soak pits and identify center point. Demonstrate the mornitoring of excavation works by ensuring desired slope and depth of excavation is maintained. Demonstrate the compaction of surface		** *	
during the task. Demonstrate the setting out of the layout for foundation, walls, and columns, soak pits/septic tank etc. as per provided in sketch. Demonstrate the identification of transfer of levels as per requirement. Demonstrate the marking out of the center line of rooms by 3-4-5 method Perform checks for the diagonals ensuring they are same in length. Demonstrate the marking of center line and the center points about 2m away from the outer edge of excavation to act as guideline. Demonstrate the marking of center line for septic tank and checking of right angles at corners. Demonstrate the marking of periphery of soak pits and identify center point. Demonstrate the marking of go right angles at corners. Demonstrate the marking of excavation is maintained. Demonstrate the monitoring of excavation works by ensuring desired slope and depth of excavation is maintained. Demonstrate the compaction of surface		its serviceability.	
during the task. Demonstrate the setting out of the layout for foundation, walls, and columns, soak pits/septic tank etc. as per provided in sketch. Demonstrate the identification of transfer of levels as per requirement. Demonstrate the marking out of the center line of rooms by 3-4-5 method Perform checks for the diagonals ensuring they are same in length. Demonstrate the marking of center line and the center points about 2m away from the outer edge of excavation to act as guideline. Demonstrate the marking of center line for septic tank and checking of right angles at corners. Demonstrate the marking of periphery of soak pits and identify center point. Demonstrate the marking of go right angles at corners. Demonstrate the marking of excavation is maintained. Demonstrate the monitoring of excavation works by ensuring desired slope and depth of excavation is maintained. Demonstrate the compaction of surface			
out of the layout for foundation, walls, and columns, soak pits/septic tank etc. as per provided in sketch. Demonstrate the identification of transfer of levels as per requirement. Demonstrate the marking out of the center line of rooms by 3-4-5 method Perform checks for the diagonals ensuring they are same in length. Demonstrate the marking of center line and the center points about 2m away from the outer edge of excavation to act as guideline. Demonstrate the marking of center line for septic tank and checking of right angles at corners. Demonstrate the marking of soak pits and identify center point. Demonstrate the marking of soak pits and identify center point. Demonstrate the monitoring of excavation works by ensuring desired slope and depth of excavation is maintained. Demonstrate the compaction of surface			
foundation, walls, and columns, soak pits/septic tank etc. as per provided in sketch. Demonstrate the identification of transfer of levels as per requirement. Demonstrate the marking out of the center line of rooms by 3-4-5 method Perform checks for the diagonals ensuring they are same in length. Demonstrate the marking of center line and the center points about 2m away from the outer edge of excavation to act as guideline. Demonstrate the marking of center line for septic tank and checking of right angles at corners. Demonstrate the marking of periphery of soak pits and identify center point. Demonstrate the monitoring of excavation works by ensuring desired slope and depth of excavation is maintained. Demonstrate the compaction of surface		• Demonstrate the setting	
columns, soak pits/septic tank etc. as per provided in sketch. Demonstrate the identification of transfer of levels as per requirement. Demonstrate the marking out of the center line of rooms by 3-4-5 method Perform checks for the diagonals ensuring they are same in length. Demonstrate the marking of center line and the center points about 2m away from the outer edge of excavation to act as guideline. Demonstrate the marking of center line for septic tank and checking of right angles at corners. Demonstrate the marking of periphery of soak pits and identify center point. Demonstrate the monitoring of excavation works by ensuring desired slope and depth of excavation is maintained. Demonstrate the compaction of surface		out of the layout for	
pits/septic tank etc. as per provided in sketch. Demonstrate the identification of transfer of levels as per requirement. Demonstrate the marking out of the center line of rooms by 3-4-5 method Perform checks for the diagonals ensuring they are same in length. Demonstrate the marking of center line and the center points about 2m away from the outer edge of excavation to act as guideline. Demonstrate the marking of center line for septic tank and checking of right angles at corners. Demonstrate the marking of soak pits and identify center point. Demonstrate the marking of soak pits and identify center point. Demonstrate the monitoring of excavation works by ensuring desired slope and depth of excavation is maintained. Demonstrate the compaction of surface			
per provided in sketch. Demonstrate the identification of transfer of levels as per requirement. Demonstrate the marking out of the center line of rooms by 3-4-5 method Perform checks for the diagonals ensuring they are same in length. Demonstrate the marking of center line and the center points about 2m away from the outer edge of excavation to act as guideline. Demonstrate the marking of center line for septic tank and checking of right angles at corners. Demonstrate the marking of soak pits and identify center point. Demonstrate the marking of soak pits and identify center point. Demonstrate the monitoring of excavation works by ensuring desired slope and depth of excavation is maintained. Demonstrate the compaction of surface			
Demonstrate the identification of transfer of levels as per requirement. Demonstrate the marking out of the center line of rooms by 3-4-5 method Perform checks for the diagonals ensuring they are same in length. Demonstrate the marking of center line and the center points about 2m away from the outer edge of excavation to act as guideline. Demonstrate the marking of center line for septic tank and checking of right angles at corners. Demonstrate the marking of oright angles at corners. Demonstrate the marking of right angles at corners. Demonstrate the marking of periphery of soak pits and identify center point. Demonstrate the monitoring of excavation works by ensuring desired slope and depth of excavation is maintained. Demonstrate the compaction of surface			
identification of transfer of levels as per requirement. • Demonstrate the marking out of the center line of rooms by 3-4-5 method • Perform checks for the diagonals ensuring they are same in length. • Demonstrate the marking of center line and the center points about 2m away from the outer edge of excavation to act as guideline. • Demonstrate the marking of center line for septic tank and checking of right angles at corners. • Demonstrate the marking of periphery of soak pits and identify center point. • Demonstrate the marking of sexavation works by ensuring desired slope and depth of excavation is maintained. • Demonstrate the compaction of surface			
of levels as per requirement. Demonstrate the marking out of the center line of rooms by 3-4-5 method Perform checks for the diagonals ensuring they are same in length. Demonstrate the marking of center line and the center points about 2m away from the outer edge of excavation to act as guideline. Demonstrate the marking of crenter line for septic tank and checking of right angles at corners. Demonstrate the marking of soak pits and identify center point. Demonstrate the marking of soak pits and identify center point. Demonstrate the monitoring of excavation works by ensuring desired slope and depth of excavation is maintained. Demonstrate the compaction of surface			
requirement. Demonstrate the marking out of the center line of rooms by 3-4-5 method Perform checks for the diagonals ensuring they are same in length. Demonstrate the marking of center line and the center points about 2m away from the outer edge of excavation to act as guideline. Demonstrate the marking of center line for septic tank and checking of right angles at corners. Demonstrate the marking of or soak pits and identify center point. Demonstrate the monitoring of excavation works by ensuring desired slope and depth of excavation is maintained. Demonstrate the compaction of surface			
Demonstrate the marking out of the center line of rooms by 3-4-5 method Perform checks for the diagonals ensuring they are same in length. Demonstrate the marking of center line and the center points about 2m away from the outer edge of excavation to act as guideline. Demonstrate the marking of center line for septic tank and checking of right angles at corners. Demonstrate the marking of oright and identify center point. Demonstrate the marking of soak pits and identify center point. Demonstrate the monitoring of excavation works by ensuring desired slope and depth of excavation is maintained. Demonstrate the compaction of surface			
out of the center line of rooms by 3-4-5 method • Perform checks for the diagonals ensuring they are same in length. • Demonstrate the marking of center line and the center points about 2m away from the outer edge of excavation to act as guideline. • Demonstrate the marking of center line for septic tank and checking of right angles at corners. • Demonstrate the marking of periphery of soak pits and identify center point. • Demonstrate the marking of periphery of soak pits and identify center point. • Demonstrate the monitoring of excavation works by ensuring desired slope and depth of excavation is maintained. • Demonstrate the compaction of surface		=	
rooms by 3-4-5 method Perform checks for the diagonals ensuring they are same in length. Demonstrate the marking of center line and the center points about 2m away from the outer edge of excavation to act as guideline. Demonstrate the marking of center line for septic tank and checking of right angles at corners. Demonstrate the marking of right sangles at corners. Demonstrate the marking of soak pits and identify center point. Demonstrate the monitoring of excavation works by ensuring desired slope and depth of excavation is maintained. Demonstrate the compaction of surface			
 Perform checks for the diagonals ensuring they are same in length. Demonstrate the marking of center line and the center points about 2m away from the outer edge of excavation to act as guideline. Demonstrate the marking of center line for septic tank and checking of right angles at corners. Demonstrate the marking of periphery of soak pits and identify center point. Demonstrate the monitoring of excavation works by ensuring desired slope and depth of excavation is maintained. Demonstrate the compaction of surface 			
diagonals ensuring they are same in length. Demonstrate the marking of center line and the center points about 2m away from the outer edge of excavation to act as guideline. Demonstrate the marking of center line for septic tank and checking of right angles at corners. Demonstrate the marking of periphery of soak pits and identify center point. Demonstrate the monitoring of excavation works by ensuring desired slope and depth of excavation is maintained. Demonstrate the compaction of surface		-	
are same in length. Demonstrate the marking of center line and the center points about 2m away from the outer edge of excavation to act as guideline. Demonstrate the marking of center line for septic tank and checking of right angles at corners. Demonstrate the marking of periphery of soak pits and identify center point. Demonstrate the monitoring of excavation works by ensuring desired slope and depth of excavation is maintained. Demonstrate the compaction of surface			
Demonstrate the marking of center line and the center points about 2m away from the outer edge of excavation to act as guideline. Demonstrate the marking of center line for septic tank and checking of right angles at corners. Demonstrate the marking of soak pits and identify center point. Demonstrate the monitoring of excavation works by ensuring desired slope and depth of excavation is maintained. Demonstrate the compaction of surface			
of center line and the center points about 2m away from the outer edge of excavation to act as guideline. • Demonstrate the marking of center line for septic tank and checking of right angles at corners. • Demonstrate the marking of periphery of soak pits and identify center point. • Demonstrate the monitoring of excavation works by ensuring desired slope and depth of excavation is maintained. • Demonstrate the compaction of surface		=	
center points about 2m away from the outer edge of excavation to act as guideline. • Demonstrate the marking of center line for septic tank and checking of right angles at corners. • Demonstrate the marking of periphery of soak pits and identify center point. • Demonstrate the monitoring of excavation works by ensuring desired slope and depth of excavation is maintained. • Demonstrate the compaction of surface			
of excavation to act as guideline. Demonstrate the marking of center line for septic tank and checking of right angles at corners. Demonstrate the marking of periphery of soak pits and identify center point. Demonstrate the monitoring of excavation works by ensuring desired slope and depth of excavation is maintained. Demonstrate the compaction of surface		center points about 2m	
guideline. Demonstrate the marking of center line for septic tank and checking of right angles at corners. Demonstrate the marking of periphery of soak pits and identify center point. Demonstrate the monitoring of excavation works by ensuring desired slope and depth of excavation is maintained. Demonstrate the compaction of surface			
Demonstrate the marking of center line for septic tank and checking of right angles at corners. Demonstrate the marking of periphery of soak pits and identify center point. Demonstrate the monitoring of excavation works by ensuring desired slope and depth of excavation is maintained. Demonstrate the compaction of surface			
of center line for septic tank and checking of right angles at corners. • Demonstrate the marking of periphery of soak pits and identify center point. • Demonstrate the monitoring of excavation works by ensuring desired slope and depth of excavation is maintained. • Demonstrate the compaction of surface			
tank and checking of right angles at corners. Demonstrate the marking of periphery of soak pits and identify center point. Demonstrate the monitoring of excavation works by ensuring desired slope and depth of excavation is maintained. Demonstrate the compaction of surface			
right angles at corners. Demonstrate the marking of periphery of soak pits and identify center point. Demonstrate the monitoring of excavation works by ensuring desired slope and depth of excavation is maintained. Demonstrate the compaction of surface			
 Demonstrate the marking of periphery of soak pits and identify center point. Demonstrate the monitoring of excavation works by ensuring desired slope and depth of excavation is maintained. Demonstrate the compaction of surface 			
marking of periphery of soak pits and identify center point. • Demonstrate the monitoring of excavation works by ensuring desired slope and depth of excavation is maintained. • Demonstrate the compaction of surface			
of soak pits and identify center point. • Demonstrate the monitoring of excavation works by ensuring desired slope and depth of excavation is maintained. • Demonstrate the compaction of surface			
identify center point. • Demonstrate the monitoring of excavation works by ensuring desired slope and depth of excavation is maintained. • Demonstrate the compaction of surface			
Demonstrate the monitoring of excavation works by ensuring desired slope and depth of excavation is maintained. Demonstrate the compaction of surface			
monitoring of excavation works by ensuring desired slope and depth of excavation is maintained. • Demonstrate the compaction of surface			
works by ensuring desired slope and depth of excavation is maintained. • Demonstrate the compaction of surface			
desired slope and depth of excavation is maintained. • Demonstrate the compaction of surface			
of excavation is maintained. • Demonstrate the compaction of surface			
Demonstrate the compaction of surface			
compaction of surface		maintained.	
		• Demonstrate the	
Page 14		compaction of surface	
			Page 14

		1	1	4:		
				upon excavation. Demonstrate checks to ensure even dressing and compaction works in excavation. Demonstrate checks for ensuring removal of gravels and uniform spreading of earth in layers for backfilling works. Demonstrate checks for ensuring appropriate sprinkling of water over layers to be compacted and ensuring appropriate back filling of excavated pit, trench etc.		
Day 2/3	Build brick/block masonry structures for rural construction	2 hrs.	8 hrs.	Theory Basic principles of measurement ,simple arithmetic's and conversion of units of measurement Safe working practices followed for the work along with the use of appropriate PPE's for work Sketches for brick/block work Sketches for brick/block work standard specification of all masonry tools and equipment, their care and maintenance how and carry out layout and marking for brick/block work how to select and use tools such as measuring tape, trowels, floats, brushes, screed boards, straightedge, concrete mixer, mortar boards and stands, shovels, wheelbarrows, joint rules, mason's square, buckets, spade, etc. for masonry works Type of raw material like cement, sand, aggregate, bricks/blocks; the size and physical attributes of bricks/blocks Visual checks performed for assessing the brick Basic levelling instruments like spirit level and water levelling, its setting and	CON/ N3602	1. Measuring tape 2. Trowels 3. Floats 4. Brushes 5. Screed 6. Boards 7. Straightedge 8. Hand held concrete mixer 9. Mortar boards and stands 10. Shovels 11. Spade 12. Wheelbarrow s 13. Mason's square 14. Volume box 15. Plumb bob 16. Line String (line Dori) 17. Try square, 18. Spirit level

	use	
	Determining vertical	
	and horizontal alignment using	
	thread line, spirit level,	
	plumb bob etc.	
	• 3-4-5 method for	
	squaring corners	
	 Method of carrying out 	
	checks for preparatory	
	works like surface	
	preparation prior to brick work	
	• King closer, queen closer	
	and its purpose	
	• Techniques for cutting,	
	chiseling of bricks as per	
	closure using appropriate	
	tools	
	Knowledge of cement mix properties and its	
	mix proportion and its importance	
	Basic knowledge	
	of water cement	
	ratio	
	• Knowledge of English,	
	Flemish, rat trap	
	stretcher and header	
	bonds	
	 Process of laying and fixing brick/blocks 	
	in position with	
	uniform joints	
	• Different mortar mix	
	used for pointing	
	• Process of pointing in brick	
	work	
	• Flush pointing	
	• Recessed pointing	
	Various tools used for pointing and raising	
	pointing and raking	
	• Various method of	
	curing of masonry	
	structure	
	• standard size of door /	
	window, type of materials and fittings	
	used	
	• Process to align the	
	frames and checking the	
	holdfast position	
	• Process to anchor	
	frames to walls and fill	
	gap between wall and frames	
	Demonstration/	
	<u>Practical</u>	
	Reading and interpreting	
	the sketches/basic	
	working drawing for	
	brick/block work	
	Selecting tools and performing cheeks to	
	performing checks to	
		Page 16

		- 1			ı	
				confirm their workability		
				• Setting out the layout as		
				per drawing/instruction		
				and transferring levels as per layout		
				Performing visual		
				checks for brick/block,		
				cement, aggregate		
				Estimate the quantity of material required for		
				work.		
				• Demonstrate the breaking of bricks to		
				required size and shape.		
				Build brick/block wall		
				as per standards		
				tolerance as per relevant		
				drawing/sketch using		
				English, Flemish, stretcher, and Header		
				and Rat trap bonds.		
				• Demonstrate checks for		
				maintaining line and level of each course of		
				brick/block wall		
				Demonstrate setting out		
				of 90° corners using		
				builders square or 3-4-5 method.		
				Demonstrate raking and cleaning of joints as		
				specified prior to drying of bonding mortar		
				• Demonstrate preparation of lime/cement mortar for		
				pointing as per specification		
				• Demonstrate filling of		
				joints with mortar to		
				obtain specified type of pointing using		
				appropriate tools.		
				• Demonstrate the		
				marking and set out of location of frames of		
				doors, windows and		
				ventilators. • Demonstrate checks and		
				carry out proper		
				alignment of the frame		
				Demonstrate fixing of holdfast and grouting		
				between frame and walls		
				• Demonstrate fixing of		
				panels for doors, windows and ventilators		
				Theory		
Day	Build	1 hrs.	3 hrs.	• Standard practices for	CON/	1.Hammer
4	structure s using			rubble masonry works	N3603	2.Brick chisel 3.Stone chisel
	random			• standard specifications		4.Bolster
	rubble					Page I 17

masonry for rural	of all tools and equipment required for	5.Steel trowel, Float wooden/
construct ion	rubble masonry along with care and maintenance	metal) 6. Spade
	Safe working practices followed for the work	(Phawda) 7.Mortar pan
	along with the use of appropriate PPE's for	(Ghamela) 8.Pointer
	work	trowel
	Different type of coursed and un- coursed rubble	9.Tuck pointing trowel
	masonry works and its application.	10.Line and pins 11.Screed board
	• Types of mortar used for	12. Jointers 13. Plumb bob
	rubble masonry works, its specifications	14.Line string (line Dori)
	Various types of stones used in rubble masonry	15. Try square 16. Spirit level
	Basic methods of stone work and finishing in	17. Measuring tape
	rubble masonry • Procedure for preparation	18. Steel or wooden scale
	of sub base for random rubble masonry works	19. Lifting , appliances
	Procedure for performing visual checks on the	(wheel and rope,shackles,
	materials used in random rubble masonry	sling, belts) 20.Wheel
	works. • Procedure for cutting	barrows 21. Mixing plat
	stones to prepare for sides, edges and bed of	form (3'x5') 22.Helmet
	random rubble masonry works.	23. Face shield Safety
	Procedure for preparation of mortar	
	for random rubble masonry works.	
	Various techniques / procedures to work with	
	undressed and hammer dressed stones used for	
	un-course and course random rubble masonry.	
	Procedure for building of wall in coursed and un-	
	coursed random rubble	
	masonry. • Importance of bond	
	stones (through stones) and jambs at Corners of	
	random rubble masonry wall.	
	Various pointing and raking tools and taskerings and mathed of	
	techniques and method of pointing a joint as per	
	specification • Procedure for performing	
	raking of joints for pointing in random	
	rubble masonry works. • Different mortar mixes	
		Page 18

used for pointing in random rubble masonry • Procedure for preparation of lime/cement, mortar for pointing works. • Procedure for performing various pointing works on random rubble masonry, namely: flush pointing raised pointing **Demonstration/ Practical** • Demonstrate selection of tools for the random rubble masonry works. • Estimate quantity of cement, sand required for rubble masonry work using thumb rules • Perform checks to ensure preparation of sub-base for rubble masonry work. • Demonstrate selection of surface finish as per requirement. • Demonstrate preparation of mortar mix in specified proportion for rubble masonry work • Demonstrate transferring of levels for rubble masonry work • Demonstrate checking of workability and proportion of cement mortar, quality of stones used in random rubble masonry and ensure proper soaking of stones prior to use. • Demonstrate preparation of the sides, edges, bed of stone to for both undressed and hammer dressed stones • Demonstrate laying and fixing of stones for both coursed and un-coursed Random Rubble Masonry. • Demonstrate the use of bond stone at corners d at jambs. • Demonstrate the checking of line and level of random rubble masonry work after regular interval • Demonstrate raking of

	Carry out			joints, cleaning of joints for pointing works. • Demonstrate preparation of lime/cement mortar in required proportion for pointing works • Demonstrate filling of joints for obtaining appropriate type of pointing works.		
Day 4/5	Carry out IPS flooring in rural constructi on	2 hrs.	6 hrs.	 Standard practices for masonry works. Safe working practices followed for the work along with the use of appropriate PPE's for work. standard specifications of all tools and equipment required for IPS flooring. Procedure for preparation of sub base by watering and ramming. Procedure for marking reference level and transferrin of levels. Various type of aggregates, type and grade of cement used and effect of water /cement ratio. Different grade of concrete Procedure for manual mixing of concrete and nominal mix proportion. Sequence of concrete pouring and placing. Provision of cover for reinforcement w.r.t size of reinforcement Procedure for pouring concrete in alternate panels. Procedure for avoiding shrinkage cracks in concrete. Different construction and expansion joints Different tools used for grooving/providing expansion joints 	CON/ N3604	1. Measuring tape 2. Trowels 3. Floats 4. Brushes 5. Screed 6. Boards 7. Straight Edge 8. Hand held Concrete Mixer 9. Mortar Boards and Stands 10. Shovels 11. Spade 12. Wheelbarr ows 13. Mason's Square 14. Spade, 15. Volume Box, 16. Plumb Bob 17. Line String (line Dori) 18. Try Square, 19. Spirit level 20. Tampin g Rod 21. Vibrators

		 Demonstrate compaction and finishing of the concrete surface Demonstrate cutting of groves for providing construction joints and expansion joints as per requirement Demonstrate levelling of 	
		 Demonstrate fixing of glass, aluminum or brass strip in cement mortar with their tops at appropriate level and according to slope. Demonstrate pouring of concrete in alternate panels. 	
		 Demonstrate checks to be performed for assessing the grade of cement, fine aggregate and concrete prior to use. Demonstrate checks for assessing preparation of panels as per specified size and type. 	
		 Demonstrate check to ensure proper cover for reinforcement. Demonstrate marking and transfer of levels on floor for required thickness using appropriate tools. 	
		 Ensure appropriate base preparation prior to flooring. Demonstrate checks for formwork to avoid leakage and deviation in slope and alignment in PCC 	
		Demonstration/ Practical Demonstrate the checks to be carried out for inspection of area prior to concreting.	
		Procedure for final troweling of concrete for desired finish	

D.C.C.	DDD C	
R.C.C structures	PPE's for work	4. Sledge Hammer
in rural	• Different sketches for	5. Bending
constructi	R.C.C footing, column, beam and	Lever
on	slab	6. Pin Plate
		7. Working
	 Tools and equipment for measuring, 	Bench 8. Binding
	marking and cutting	Hook
	re-bars.	9. Hammer
	• Measurement and	
	marking method for cutting and bending	<u>Measuring</u> Instruments
	• Types of stirrups	1. Measurement
	• Hand tools for	tape
	cutting and	General
	bending rebar	requirement
	manually.	
	 Different types of cover block and 	1. M.S, TOR
	their uses	Steel, TMT Steel,
	• Different types of	Binding
	steel rods, length	wires,
	and diameter	2. Steel
	• Different types of	cutting Blade
	binding wire, thickness and uses	3. Mechanical
	• Prevention of	Coupler
	reinforcement from	4. Cover
	rusting	Blocks 5. Wooden
	• Use of chairs, spacer	Planks
	bar, hanger bars • Tolerance for	(Sling,
	cutting and	Shackle,
	bending of	Belts)
	rebar	6. Safety
	Body postures for cutting and	Helmet 7. Safety
	bending of rebar	Goggles
	• Different types of ties	8. Safety
	(Slash tie, ring slash	9. Shoes
	tie, hair-pin tie, ring hair- pin tie, crown	
	tie, lap tie)	
	• Sequence for tying of	
	rebar for in-situ and	
	pre-fabricated cages for footing , column,	
	wall, beam and slab	
	• Insertion and fixing	
	process for slab(one way & two way slab),	
	beam, column,	
	footing, wall	
	• Lapping length and	
	importance of lapping for different diameter of	
	re-bars	
	• Importance of clear	
	cover while carrying	
	out reinforcement works	
	• Use of chairs, hanger	
	bar, spacer bar	
		Page 22

Demonstration/ Practical

- Demonstrate reading of details from bar bending sketch.
- Calculate cutting length of re- bars, number of chairs, spacer bars from sketch
- Demonstrate selection of appropriate tools for cutting and bending of re-bars.
- Demonstrate cutting of rebar for a smaller diameter rebar using hand tool.
- Demonstrate cutting of rebar using power tools.
- Demonstrate stacking of re-bars after cutting and bending as per standards practices.
- Demonstrate insertion/ fixing of rebar for footing, column, beam and slab, place and fix on its position.
- Demonstrate uniformity of space in between the bars, stirrups, link rod as per the drawing/sketches.
- Demonstrate staggering of lap for splicing.
- Demonstrate making of stirrups, chairs and hanger bar.
- Demonstrate bending of rebar for simpler shape such as L, U shape.
- Demonstrate tying of rebar using different ties.
- Demonstrate marking, placing, fixing and tying of stirrups for column, beam as per specified spacing.
- Demonstrate marking, placing, fixing and tying of rebar for wall and slab as per specified spacing.
- Demonstrate placing of cover

				block and fixing of		
				chairs for		
				maintaining		
				uniform thickness.		
				 Demonstrate checks to be performed for 		
				quality of		
				reinforcement work		
				with reference to		
				spacing, placement,		
				straightness of bar, rigidity of ties etc.		
				Theory		Hand tool
Day	Carry out	1 hrs.	3 hrs.	Basic	CON/	1. hand saw,
6	shuttering works for			shuttering	N3606	2. Different
	R.C.C			drawings/		types of
	structures			sketches.		Chisel
	in rural			• Different tools		3. Jack
	constructi on			used for		Hammer
	OII			shuttering works.		4. Nailing
						Hammer,
				Different measuring and marking tools used for		5. Hand Drill
				shuttering works.		6. Water Level
				• standard size of all		Tube
				carpentry tools,		7. Spirit Level
				materials and components, their		8. Measuring
				selection and use.		Tape
				• Importance of		9. Marking Chalk/
				correct body		Pencil
				postures.		
				• Safe working practices followed for the work		
				along with the use of		
				appropriate PPE's for		
				work.		
				Handling and		
				maintenance of tools.		
				• different type of shuttering material		
				such as timber,		
				plywood, wooden		
				batten, GI sheets and		
				other material.		
				• Standard size of timber and plywood		
				for shutter making		
				purpose.		
				• visual checks for		
				shuttering materials.		
				• use of water level tube		
				Types of joints –		
				Dovetail, Tenon		
				& Mortise, Lap		
				joints, Half joints.		
				• Different types of knots		
				used for tying bamboo,		
				ballies.		
				Procedure for carrying		
				out shuttering for		
				R.C.C structures such		

as footing, column, wall, slab, beam etc. • Procedure for providing support for shuttering works. • General tolerance for shuttering works. • Use of shuttering oil. • Dismantling procedure of shuttering for R.C.C structures such as footing, column, wall, slab, beam etc. • Stripping time for removing shuttering of various R.C.C structural elements. • Procedure for erecting and dismantling staging (bamboo/ballies, pipes and couplers). **Demonstration/ Practical** • Demonstrate reading drawings/ sketches related to shuttering work. • Demonstrate visual checks for timber, plywood, wooden battens, GI sheets, bamboo/ballies etc. so they are of good quality. • Demonstrate selection and use of hand tools such as hand saw, chisel, jack hammer, nailing hammer, hand drill and other tools efficiently. • Demonstrate cutting of timber and plywood as per measurement and marking. • Demonstrate making of Dovetail joints, Tenon mortise joint, Lap joints. • Demonstrate making of wooden shutter panels as per for shuttering works and application of shuttering oil. • Demonstrate positioning and fixing and of shutter board and props. • Demonstrate checks for plumb, position and spacing ensuring tightness of tie rod, support and bracing. • Demonstrate checks of

		I	I	1 f 1 f	I	1
				erected formwork for line, level and alignment are within tolerance limit. • Demonstrate plugging of all gaps using appropriate materials and ensure water tightness of forms. • Demonstrate dismantling of shuttering for column, wall, footing, beam and slab ensuring RCC gained sufficient strength. • Demonstrate repairing of formwork. • Demonstrate levelling of area for erection of scaffolding. • Demonstrate erection of scaffold as per requirement and check for stability and rigidity of scaffold. • Demonstrate erection and dismantle of scaffold		
				as per requirement and stacking of scaffold material upon dismantling.		
				MI		
Day 7/8	Carry out manual concreting in rural constructi on	2 hrs.	8 hrs.	 Theory standard practices for concreting work. safety rules and regulations for handling and storing required concreting tools, equipment and materials. Safe working practices followed for the work along with the use of appropriate PPE's for work. Standard sizes of concreting tools such as measuring tape/rule, shovels, rakes, screeding board / tools and tamping tools (hand, rolling), different types of floats; their use, upkeep and maintenance. Various precaution taken while working in wet concrete area. Various type and grade of cement used type of aggregates. Effect of water cement ratio Basic properties of concrete including weigh and mix 	CON/ N3607	1. Measuring Tape 2. Trowels 3. Floats 4. Brushes 5. Screed 6. Boards 7. Straight Edge 8. Hand held Concrete Mixer 9. Mortar Boards and Stands 10. Shovels 11. Spade 12. Wheelbarro ws 13. Mason's Square 14. Spade, 15. Volume box, 16. Plumb bob 17. Line string (line Dori) 18. Try Square, 19. Spirit Level 20. Tamping Rod 21. Vibrators

proportions.	
 Need for providing cover to the reinforcement and 	
its relation w.r.t size of	
reinforcement.	
• Nominal mixes of	
concrete and manual	
mixing procedure for concrete.	
Procedure to avoid	
shrinkage cracks in	
concrete.	
 Knowledge of expansion 	
and construction joints in concrete and extent to	
which these must be	
provided.	
 Technique for spreading, 	
floating and levelling of	
concrete.	
• Importance of finishing concrete after initial	
setting of concrete/semi-	
finished stage.	
• Use of releasing oil	
and its importance.	
• Process of curing concrete.	
• Common defects in	
concrete.	
<u>Demonstration/</u>	
<u>Practical</u>	
• Demonstrate checks to	
ensure alignment in	
slope prior to concrete in formwork.	
Demonstrate checks	
for misalignment in	
formwork/reinforceme	
nt and ensure proper cover for	
reinforcement is	
provided.	
• Demonstrate visual	
checks for cement, aggregate, water for	
concrete mixing.	
● Visually assess the	
concrete mix for usability	
and workability.	
• Demonstrate pouring of concrete in layers	
maintaining standard	
height of pouring.	
• Demonstrate	
compaction of concrete using	
tamping	
rod/concrete	
vibrators.	
• Demonstrate spreading,	
compaction and	
 •	Page 27

	Install	2 hrs.	8 hrs.	levelling of concrete. Demonstrate removal of excess concrete. Demonstrate levelling of edges and corners in concrete works. Demonstrate application of final finish and curing of concrete by marking and monitoring curing time. Theory	CON/	1 Wranghay
Day 8/9	Install sanitary fitting and fixtures for rural toilets	z nrs.	o nrs.	 Sketches for plumbing and sanitation system. Safe working practices followed for the work along with the use of appropriate PPE's for work. Different material in sanitary system (CI/GI/PVC pipes, etc.) Basic sanitary fittings and fixtures like (taps, valves, clamps, elbows, toilet pans, traps, etc.) Standard size of relevant hand tools such as wrenches, plier, screwdriver, pipe cutter, pipe bender, threading tool, hacksaw, metal file, etc. and safety rules for handling and maintenance of tools Techniques for cutting, bending and joining of fittings and fixtures. Transferring levels using basic levelling devices Sequence of pipe installation Procedure for assembling of pipe sections, tubing and fittings, using couplings, clamps, screws, bolts, caulking tools, or cutting, threading and joining equipment Procedure for connection of toilet with soak pit/septic tank and inspection chamber maintaining necessary gradient as per specification. Various defects in plumbing works like 	CON/ N3608	 Wrenches Plier Screwdriver Pipe Cutter Pipe Bender Threading Tool Hacksaw Metal File Caulking Tools Cutting, Threading and Joining Equipment

leakages, improper alignment, etc. • Test for checking the joints and fixtures functionality and leakage. Demonstration/ **Practical** • Demonstrate reading and understanding of the sketches of sanitary fittings and fixtures and their connection to soak pit/septic tank. • Demonstrate selection of sanitary fittings and fixtures and perform checks to ensure their workability. • Demonstrate checks to ensure building of toilet enclosure, bathing space, soak pits/septic tank as per drawings/sketches and necessary gradients. • Demonstrate placing and fixing of concrete pre-cast rings for soak pits as per applicability. • Demonstrate marking of location and position of pipe installations, connections, passage holes, and fixtures in structures, • Describe sequence of pipe installation. • Demonstrate assembling of pipe sections, tubing and fittings, using couplings, clamps, screws, bolts, caulking tools, or cutting, threading and joining equipment. • Demonstrate installation of pipe assemblies, fittings, and fixtures such as toilet pan using hand tools. • Demonstrate checks to ensure maintenance of necessary gradient for toilet floor. • Demonstrate connection of toilet with soak pit/septic tank and inspection chamber maintaining necessary gradient as per specification. • Demonstrate test for checking the joints and fixtures for functionality

				and leakage.		
Б.	Soft Skills	2 hrs.	3 hrs.	BHIM operation		
Day	SOIT SKIIIS	2 1113.	5 1113.	Computer operation		
9				• Email creation		
				Money Transfer		
				Money Withdrawal		
Day	Practical &			Assessments		
10	Viva	8 h	rs.			
	Total Duration	20 hrs.	52 hrs.	Measuring tape, Trowels, Sh for marking, Wheelbarrows, Dori), Try square, Spirit le Rammers(hand held), Floats straightedge, hand held concr stands, mason's square, sp Brick chisel, Stone chisel, wooden/metal), Mortar pan (G pointing trowel, Line and pi Lifting, appliances (wheel and Mixing plat form (3'x5'), Helm, Tamping rod Vibrators, Hachisel, Sledge hammer, Bend bench, Binding hook, M.S., Twires, Steel cutting blade, blocks, Wooden planks, Lifting Belts), Safety Helmet, Safet chisel, jack hammer, nailing level tube, spirit level, mark Plier, screwdriver, pipe cutter Hacksaw, metal file, caulking joining equipment Infrast: Class room for theory asse Workshop for practical	Unique Equipment Required asuring tape, Trowels, Shovels, Spade, Chalk/pow marking, Wheelbarrows, Plumb bob, Line string (i), Try square, Spirit level, Steel or wooden scanners (hand held), Floats, Brushes, screed, boardightedge, hand held concrete mixer, mortar boards ands, mason's square, spade, volume box, Hammers (hand, Mortar pan (Ghamela), Pointer trowel, Floden/metal), Mortar pan (Ghamela), Pointer trowel, The den/metal), Mortar pan (Ghamela), Pointer trowel, The den/metal, Safety and India to the set of the sampling rod Vibrators, Hack saw, Rail piece, Pointer (hand), Sledge hammer, Bending lever, Pin plate, Work of the Steel cutting blade, Mechanical coupler, Colors, Wooden planks, Lifting appliance (Sling, Shacks), Safety Helmet, Safety goggles, different types sel, jack hammer, nailing hammer, hand drill, was all tube, spirit level, marking chalk/pencil, Wrencher, screwdriver, pipe cutter, pipe bender, threading to the sample of the sample	

and leakage.

11. Review and Monitoring:

The agency will be responsible to submit activity completion report as per the agreed terms and condition and need of the assignment. Office of Commissionerate, Panchayat and Rural Development, Assam will be responsible for the review and monitoring of the progress of the assignment on event basis and interact with the nodal person appointed by the selected agency. All the movable/immovable assets created during the award period from the funds provided by the Office of Commissionerate, Panchayat and Rural Development, Assam will be solely under the ownership of Office of Commissionerate, Panchayat and Rural Development, Assam.

12. Scope of Work:

- ❖ The Training providers may also need to provide necessary readings materials in local language required for training.
- ❖ The medium of instruction for training for the training and reading materials shall be preferably in local language.
- ❖ The training course shall be delivered based on an approved building design, contents and scheduled approved by the competent authority.
- ❖ Assist the PMAY-G beneficiaries whose houses will serve as training sites in procurement of quality materials.

- ❖ Maintain daily attendance of trainees and assist in timely payment of stipend/compensatory wage.
- ❖ The trainers/demonstrators should be qualified (as per MoRD, GoI guidelines for the Rural Mason QP-NOS in the construction Sector), CSDCI/DGT certified and eligible for imparting training to Rural Masons as per the prescribed QP-NOS.
- ❖ The trainers & demonstrators to be deputed shall also be qualified as per MoRD, GoI guidelines for the Rural Masons and expert in construction of Houses. Certificate of trainers & demonstrators must be produced by the TP in their proposals.
- ❖ The training shall involve on the job/practical component (approximately 80%) and theory (approximately 20%) with all the necessary tools and methods appropriate to the context.
- ❖ Lead the process of pre-screening of Trainees.
- ❖ Document the training through videos and still photographs (since beginning and till the completion of work) and daily site notes.
- Conduct mock assessments.
- ❖ Intimate CSDCI/DGT empanelled assessing bodies and Office of Commissionerate, P&RD, Panjabari one week in advance for assessment and certification.
- Make available materials for practice assessment upon completion of training.
- ❖ The construction of the house must be as per the prescribed norms/designs etc. provided by the competent authority.
- Placement of Trained Rural Mason after Completion of Training.
- ❖ T.P. will register final list of trainees on AwaasSoft.
- ❖ Deployment plan indicating number of trainers & demonstrators @ 18 semiskilled masons trainees (3 different batch consisting of 6 trainees in each batch) to be trained per house cum training sites through one exclusive qualified, eligible & experienced trainer and three demonstrator for a cluster of maximum 3 training-cum-house sites. The qualification and eligibility of professionals shall be in accordance with QP-NOS for Rural Masons approved by NSDC.

Trainer:

- ❖ Level 4 CSDCI or DGT certification of the core Rural Mason QP job roles.
- Good Assamese/English writing skills. Good communication and applied math's skill.
- * Knowledge of local language is mandatory.

Demonstrator:

- ❖ Level 4 CSDCI or DGT certification of the core Rural Mason QP job roles.
- ❖ Good communication and applied math's skill.
- * Knowledge of local language is mandatory.

Annexure - II

The agency should keep in mind that training would be imparted as per the Qualification Pack (QP-NOS) - Rural Mason training approved by NSDC & RPL Curriculum of Rural Mason along with the below mentioned points and EoI should be submitted accordingly.

- 1. Fabrication of Rafters, Purlins and Struts in MS Tubes and Wood for Assam Type House Roofing system.
- 2. G.C.I sheets Roofing fixing for Assam type House roofing system.
- 3. Applying ridging caps to an Assam type roofing system.
- 4. Constructing spilt bamboo ceiling.
- 5. Construction of Split Bamboo diagonally woven wall with both side plastering.
- 6. Construction of Liner Profile Sheet Wall.
- 7. Construction of wooden Batten and Posts.
- 8. Precast/Prefabrication techniques for PMAY-G house construction.

Annexure - III

Area of Operation

Blocks of entire Assam state will be the operational area for the agency. Out of which agency has to specify the Districts in priority wise where they will be able to deliver their duty in effective way. Whereas procuring entity reserves the right to assign the Districts to a particular TP as per the interest of the Yojana & benefit of the state.

Training will be on-site, in a village / Panchayat of the particular Block/GP.

Annexure - IV

<u>Check list for the Agencies applying for Rural Mason Training Program in Recognition</u>
<u>of Prior Learning Mode</u>

- 1. Name of the Agency:
- 2. Address of Registered Office:
- 3. Address of Branch Office in Assam:
- 4. Address of Communication:
- 5. Name of Nodal Person and Contact Detail for this Project:
- 6. Check List:

SL No.	Eligibility Criteria	Y-if Yes ,N- if No(If Yes, Attach Scan Copy of the relevant document)
1	Whether the agency is resigned under Society Registration Act, 1860/Indian Trust Act/ Indian Companies Act and with CSDCI/DGT/NCVT/ NSDC/SSDMs (Attach relevant document)	
2	Whether the agency has an established office in the geographical area of Assam? (Attach relevant document)	
3	Whether the agency has an audited statement of accounts for the last 3 consecutive years showing the annual average turnover of Rs 75 Lakhs? (For those organizations who do not have the audited statement of accounts for FY 2020-21; they may submit the provisional financial statement against FY 2020-21 only) (Attach relevant document)	
4	Whether the agency has carried out at least one work of similar nature of minimum Rs. 50 Lakhs in single work order. (Attach relevant document)	
5	Whether the agency is being black listed or debarred by any Govt. Dept. or similar Organization? (Attach relevant document/declaration)	
6	Whether the agency has a proven track record of at least 1 year experience in implementation of similar National/State /Regional level construction training which is clearly reflected in their work order and supporting documents? (Attach relevant document)	
7	Whether the agency have a permanent team of Trainers, Demonstrators, Supervisors, Coordinator and team leader for construction training. (Attach relevant document)	
8	Whether copy of the complete training based report of	

	similar work submitted by the agency (at least 1 in	
	last 3 years)	
	(Attach relevant document)	
9	Self Declaration by the firm of not being blacklisted	
	anywhere in the country during last 3 years.	
	(Attach relevant document/declaration)	

(Signature	ച
(Signatur	וט

Name:

Designation:

Seal:

Annexure – V

Self - Declaration

I ,,designationat
(Name of Agency), will certify that all the above mentioned
information is correct and I admit that CPRD, reserve the right to terminate the
process of negotiation in case of any discrepancies found in the above information
at any stage of negotiation. I will be solely responsible for providing Human Resource,
Logistic Support, Technology and Report as per the agreed terms and conditions.
(Signature)
Name:
Designation:
Seal:

<u>SECTION – IV</u> PRE – QUALIFICATION PROPOSAL SUBMISSION FORMS

PRE QUAL FORM – 1

COVERING LETTER

(ON LETTER HEAD OF ORGANISATION)

To, (Location, Date)
The Commissioner
Panchayat and Rural Development
Panjabari, Juripar, Assam-37

Sub : Selection of Agencies for providing training to Rural Masons (RPL) for Pradhan Mantri Awaas Yojana- Gramin (PMAY-G) in Assam

PRE-QUALIFICATION PROPOSAL

Dear Sir,

- I, hereby declare that all the information and statements made in this Pre-Qualification Proposal are true and correct and I accept that any misinterpretation contained in it may lead to disqualification of our proposal. Our proposal will be valid for acceptance up to 90 days and I confirm the proposal will remain binding upon us any may be accepted by you at any time before expiry date.
- I, hereby unconditionally undertake to accept all the terms and conditions are stipulated in the EOI document. In case any provisions of this EOI are found violated, then your department shall without prejudice to any other right or remedy be at liberty to reject our proposal including forfeiture of the full said earnest money deposit absolutely.

Yours Faithfully,

Authorized Signatory (in full and initials):

Name and Designation with Date and Seal:

Address of the Organization:

ORGANISATION (GENERAL DETAILS)

S1 No.	Description	Full Details
1	Name of the Organization	
2	Permanent address Tel: Fax: Email Id:	
3	Name of the authorized person signing and submitting the bid on behalf of the Organization: Mobile No: Email Id:	
4	Registration/Incorporation Details: Registration No. : Date & Year:	
5	Local Office in Assam: If yes, Please furnish address/contact details and attach relevant document.	
6	Bid Security & e –procession fees Please upload scanned copies (If exempted please upload Documents)	
7	PAN & TAN Number	
8	GST Registration Number	
9	Confirm on carry out assignments as per the scope of work of the EOI	Yes
10	Confirm to accept all the terms and conditions as specified in the EOI	Yes

Authorized Signatory (in full and initials):

ORGANISATION (FINANCIAL DETAILS)

	Financial Information in INR					
Details	FY 2018-19	FY 2019-20	FY 2020-21			

Supporting Documents:

The Annual Average Financial Turnover of the Organization has to be Rs. 75 Lakhs for the last 3 Financial Years. Audited certified financial statements for the last three FYs (2018-19, 2019-20 and 2020-21) & submission of audited and certified copies of Profit and Loss Statement and Balance Sheet for the respective financial years is mandatory along with PRE QUAL FORM-3)

For those organizations who do not have the audited statement of accounts for FY 2020-21; they may submit the provisional financial statement against FY 2020-21 only.

Authorized Signatory (in full and initials):

FORMAT FOR POWER OF ATTORNEY

(ON LETTER HEAD OF ORGANISATION)

I				(Design	nation)		
Of		• • • • • • • • • • • • • • • • • • • •	(Name of th	ne Organization)	in witness w	vhereof c	ertifies
that		(Name of the	Person) authori	zed to execu	ite the at	torney
on	behalf	of			(Name	of	the
Organiza	tion),		• • • • • • • • • • • • • • • • • • • •				
	(Designa	tion of the	person of th	ne company) acti	ing for and o	on behalf	of the
company	•	under	the	authority	confe	rred	by
the			• • • • • • • • • • • • • • • • • • • •	No	otification/A	uthority	order
No		Date	ed		Date o	f referen	ce has
signed the	his Powe	er of attor	ney at		(Place) on t	his Sign	atures
of			• • • • • • • • • • • • • • • • • • • •	(Name of person	n) in whose f	avour au	thority
is being	made ı	ander the	day of		(Day,	Month,	Year).
Attorney	given be	low are he	reby certified	l .			
Name of	the Auth	orized Rep	resentative:				
(Signatu	re of the	Authorized	l Representa	tive with Date)			
CERTIFII	ED BY						
Signatur	e, Name	and Desigr	nation of the	person executin	g attorney:		

Communication Address of the Organization:

(ORGANISATION'S PAST EXPERIENCE DETAILS)

Table-1 (List of Best completed assignments (maximum 5) of similar nature during last 3 financial years anywhere within the country)

S1 No.	Period	Name of the training with Details thereof	ContractValue (in INR) and Duration in Months	Date of Award/Com mencement of Assignment	Date of Completion of Assignment	No. of Trainees Attended
1	2	3	4	5	6	7

Table-2 (List of Best completed assignments (maximum 5) of similar nature during last 3 financial years in Assam)

S1 No.	Period	Name of the training with Details thereof	ContractValue (in INR) and Duration in Months	Date of Award/Com mencement of Assignment	Date of Completion of Assignment	No. of Trainees Attended
1	2	3	4	5	6	7

Authorized Signatory (in full and initials):

Name and Designation with Date and Seal:

Note: Organizations are requested to furnish the list of the assignments undertaken during the last 3 Financial Years as per the above prescribed format only. Information not conforming to the above format will be treated as non-responsive. Copies of the Work Order/Contract Document/Completion Certification from the previous clients need to be furnished along with the above information.

(SELF DECLARATION FORMS)

Date:

To whom so ever it may be concern

I /We hereby solemnly take oath that am/are authorized signatory in the Firms/Organization/Institute/Company and hereby declare that "Our Firms/Institute/Company do not face any sanction or any pending disciplinary action from any authority against our Firms/Institute/Company or Partners". Further, it is also certified that our firm has not been blacklisted by any government or any other donor/partner organization in past.

In case of any further changes which effect this declaration at a later date, we would inform the Department accordingly.

Authorized Signatory

(With Seal)

<u>SECTION - V</u> TECHNICAL PROPOSAL SUBMISSION FORMS

TECH - 1

COVERING LETTER

(ON LETTER HEAD OF ORGANISATION)

To, (Location, Date)
The Commissioner
Panchayat and Rural Development
Panjabari, Juripar, Assam-37

Sub : Selection of Agencies for providing training to Rural Masons (RPL) for Pradhan Mantri Awaas Yojana- Gramin (PMAY-G) in Assam

TECHNICAL PROPOSAL

Dear Sir,

I, the undersigned offer to provide the services for the proposed assignment in respect to your EoI. I hereby submitting the EoI which includes this technical proposal sealed under a separate envelope. Our proposal will be valid for acceptance up to 90 days and I confirm that this proposal will remain binding upon us and may be accepted by you at any time before this expiry date.

All the information and statements made in this Technical Proposal are true and connected and I accept that any misinterpretation contained in it may lead to disqualification of our proposal. If negotiations are held during the period of validity of the proposal, I undertake to negotiate on the basis of the proposal submitted by us. Our proposal is binding upon us and subject to the modifications resulting from contract negotiation. I have examined all the information as provided in your Expression of interest (EoI) and offer to undertake the service described in accordance with the conditions and requirements of the selection process. I agree to bear all the cost incurred by us in connection with the preparation and submission of this proposal and to bear any further pre-contract cost. Certain information included in the proposal would if disclosed prejudice our commercial interests.

I confirm that I have the authority to submit the proposal and to clarify any details on its behalf, I understand that you are not bound to accept any proposal you receive

Authorized Signatory with Date and Seal
Name and Designation:

Yours Faithfully,

Address of Organization:

TECH - 2

PROFESSIONAL PROFILE OF ORGANISATION (BRIEF PROFILE)

(Provide here a brief description regarding professional background of	the
organization)	

Authorized Signatory (in full and initials):

Name and Designation with Date and Seal:

(NB: Organization needs to restrict the above information within 3-5 pages only)

TECH-3(A)

(ORGANISATION'S EXPERIENCE)

CATEGORY-I

Table-1 (List of assignments (maximum 5) of similar nature in any sector during last 3 FYs)

S1 No.	Period	Name of training provided	Name of Procuring Entity	Contract Value(in INR)	Date of Award/Comme ncement of Assignment	Date of Completion of Assignment	No. of Trainees Attended
1	2	3	4	5	6	7	8

CATEGORY-II

Table-2 (List of assignments (maximum 5) of similar nature in the relevant sector during last 3 FYs:

S1 No.	Period	Name of training provided	Name of Procuring Entity	Contract Value (in INR)	Date of Award/Comme ncement of Assignment	Date of Completion of Assignment	No. of Trainees Attended
1	2	3	4	5	6	7	8

Authorized Signatory (in full and initials):

TECH-3(B)

Name	Name of Organisation :				
S1 No.	Evaluation Indicators/Parameters	Remarks			
1	Total number of trainees provided mason / assistant mason training.	In nos			
2	Percentage of passing of trainees in the last financial year	In Percentage			

Authorized Signatory (in full and initials):

TECH-3(C)

(ORGANISATION'S EXPERIENCE)

(Using the format below provide information of each assignment for which your organization was legally <u>contract legal</u> single entity for carrying out similar training to the ones requested under this assignment during the **last financial year**)

Name of Assignments of similar nature in any sector within the country	Value of the contract (in INR)		
Location	Duration of Assignment (months)		
Name and Procuring entity : Address:	Total No of staff engaged in the assignment		
Start Date (Month/ Year): Completion Date (Month/ Year):	No of trainees trained during the period		
Narrative description of Project :			
Description of actual service provided by your staff within the assignments:			

Authorized Signatory (in full and initials):

TECH-4

Comments and Suggestions of the Organization on the Terms of Reference / Scope of Work and Counterpart Staff and Facilities to be provided by the Procuring Entity.

A: On the terms of Reference/Scope of Work:

(Present and Justify here any modification to the expression of Interest you are proposing to improve performance in carrying out the assignments (such as deleting some activity you consider unnecessary, or adding another language, or proposing a different phasing of the activities). Such suggestions should be concise and to the point, and incorporated in your technical proposal)

B: On Input and Facilities to be provided by the Procuring entity:

(Comment here on inputs and facilities to be provided by the Procuring entity according to information to the Organization and scope of Work)

Authorized Signatory (in full and initials):

TECH-5

DESCRIPTION OF APPROACH, METHODOLOGY AND WORK PLAN TO UNDERTAKE THEASSIGNMENT

In this Section, Organization should explain his undertaking of the scope and objective of the assignment, approach to the services, methodology for carrying out the activities and obtaining the expected output, and the degree of detail of such output. Further, he should highlight the problems and the importance, and explain the technical approach to be adopted to address them. It is suggested to present the required information divided into following four sections.

- A. Understanding the Scope, Objective and Completeness of response.
- B. Technical Approach and Methodology:

Explaining the proposed Methodologies to be adopted highlighting of the compatibility of the same with the proposed approach. This includes:

- 1. Detail training design and technical approach.
- 2. Field process protocol control.
- 3. Suggestive tools for training.
- 4. Submission of reports
- 5. Any other issues.
- C. Staff Composition and Management Plan:

Name and Designation with Date and Seal:

The organization should inform about the staff composition i.e. the certified trainer, demonstrator (certificate to be enclosed) and any other staff to be engaged.

The organization should propose and justify the structure and composition of the team and should enlist the main activities under the assignment in respect of the KeyExperts responsible for it. Further, it is necessary to enlist the activities under the proposed assignments with sub-activities. (Graphical Representation)

	(Graphical Representation)
D.	Work Plan, Implementation Strategy & Issues and Challenges:
	Authorized Signatory (in full and initials):

TECH-6 CHOICE OF DISTRICTS

Sl No.	Order of Choice (In ascending order of preference)	Name of the Districts
1		
2		
3		
4		
5		
6		
7		

Authorized Signatory (in full and initials):

TECH-7 TEAM COMPOSITION AND TASK ASSIGNMENT

SI No.	Name of Key Professional /Support Staff	Position Assigned	Highest Educational Qualificatio n	No of Years of Experience	Task Assigned
1					
2					
3					
4					
5					
6					
7					

Please provide the details of all the key Professionals and support staff to be deployed for the proposed assignments from the Organizations (District wise) as per the format. Plan should mandatorily indicate trainers & demonstrators to be engaged.

Authorized Signatory (in full and initials):

TECH-8

WORK SCHEDULE FOR PROPOSED ASSIGNEMNT

Proposed Work Plan

Days	1	2	3	4	5	6	7	8	9
List of Activities	1	2	3	т	3	O	,	0	J

The work plan should be as per MoRD's RPL Curriculum of Rural Mason (72 hours Training + 8 hours Assessments)

Authorized Signatory (in full and initials):

SECTION - VI ANNEXURE

Annexure - A

PRROPOSAL SUBMISSION CHECKLIST

SL NO	DESCRIPTION	SUBMITTED (YES/NO)	PAGE NO.
A	PRE-QUALIFICATION PROPOSAL (ORIGINAL)	,	
1	Filled in proposal submission Check List (Annexure –A)		
2	Covering Letter (PRE QUAL FORM-1)		
3	Prescribed Bid Security E-processing fee		
4 5	Copy of Certificate of incorporation / Registration of the Organization/CSDCI/DGT accreditation certificate. Copy of PAN/TAN		
6	Copy of Service tax registration Certificate		
7	Copies of IT Returns for the last 3 FY s		
8	General Details of the Organization (PRE QUAL FORM-2)		
9	Financial Details of the Organization (PRE QUAL FORM-3) along with all the supportive documents such as copies of Profit-Loss Statement and Balance Sheet for concerned period.		
10	Power of Attorney (PRE QUAL FORM-4) in favor of the Person signing the bid on behalf of the organization.		
11	List of complete assignments of similar nature (Past Experience Details) (PRE QUAL FORM-5) along with the copies of work orders for the representative assignments.		
12 B	Undertaking for not have been black listed (PRE QUAL FORM-6) by any central/state Govt/any autonomous bodies during its business carrier. TECHNICAL PROPOSAL (ORIGINAL)		
1	Covering Letter (TECH 1)		
2	Covering Letter (TECH-1) Organization's Professional Profile (TECH-2)		
3	Organization's Professional Profile (FECH-2) Organization Experience, Details of % Passing and Total No of Trainees (TECH - 3A,3B &3C)		
4	Comments and Suggestions (TECH-4)		
5	Description of Approach, Methodology and Work Plan (TECH-5)		
6	Choice of Divisions (TECH-6)		
7	Team Composition and Task Assignment (TECH-7)		
8	Work Plan (TECH 8)		

С	ANNEXURES (ORIGINAL)	
1	Annexure -I,II,III,IV and V	
2	Annexure A, B, C, D and E	

Declaration: All pages of bid document signed by the authorized signatory.

Authorized Signatory (in full and initials):

UNDERTAKING

- All the information has been submitted as per the prescribed format and procedure
- Each part has been separately bound with no loose sheets and each page of all the three parts are numbered along with Index Page.
- All pages of the proposal have been sealed and signed by the authorized representative.

Authorized Signatory (in full and initials):

GRIEVANCE HANDLING PROCEDURE DURING PROCURING PROCESS (APPEALS)

1. Filling an appeal

- a. If any Bidder or prospective Bidder is aggrieved that any decision, action or omission of the procuring entity is in contravention to the provisions of the Act or the Rules or the Guidelines issued under, he may file an appeal to the First Appellate Authority as specified in the Bid Data Sheet, within a period of 10 days from the date of such decision, action or omission, as the case may be, clearly giving the specific ground or grounds on which he feels aggrieved provided that after the declaration of a bidder as successful, the appeal may be filled only by a bidder who has participated in the procurement proceedings.
- b. After hearing the parties, the First Appellate Authority shall disclose of the Appeal and pass an order within a period of 30 days of the date filling of the appeal.
- c. If the First Appellate Authority fails to dispose of the appeal within the period 30 days of the date of filling the appeal or if the bidder or prospective bidder or the procuring entity is aggrieved by the order passed by the First Appellate Authority, the bidder or the prospective bidder or the procuring Entity, as the case may be, can file a second appeal to the Second Appellate Authority as Specified in the Bid Data Sheet, within fifteen days. The Second Appellate Authority, after hearing the Parties, shall dispose of the appeal and pass an order within a period of 30 days which shall be final and binding on the parties.

2. Appeal not to lie in Certain cases

No appeal shall lie against any decision of the Procuring Entity relating to the following matters

- a. Determination of need of procurement.
- b. Provisions limiting participation of Bidders in the bidding process.
- c. The decision of whether or not enter into negotiations.
- d. Cancellation of the procuring process.
- e. Applicability of the provisions of confidentiality.

3. Form and Procedure of filling an appeal

- a. An appeal shall be in the annexed Form along with as many copies as there are respondents in the appeal.
- b. Every appeal shall be accompanied by an order appealed against if any, affidavit verifying the facts stated in the appeal and proof of payment of fees.
- c. Every appeal may be presented to First Appealed Authority or Second Appellate Authority as the case any be, in person or through registered post or authorized representative.

4. Fee for filling Appeal

- a. Fee for first appeal shall be rupees two thousand five hundred and for second appeal shall be rupees ten thousand which shall be non-refundable.
- b. The fees shall be paid in the bank demand draft or cheque.

5. Procedure for disposal of Appeal

- a. The first Appellate Authority or Second Appellate Authority, as the case may be on filling of appeal, shall issue notice accompanying by copy of appeal, affidavit and documents and any to the respondent.
- b. On the date fixed for hearing, the First Appellate Authority or Second Authority as the case may shall be:
- i. Hear all the parties to appeal present before him and
- ii. Peruse or inspect documents, relevant records or copies thereof relating matter.
- c. After hearing the party's perusal or inspection of documents and relevant records or copies thereof relating to the matter, the Appellate Authority concerned shall pass an order in writing and provide the copy of order to the parties to appeal free of cost.
- d. The order passed under sub-clause (c) above shall be placed on the State Procurement Portal.

DECLARATION BY THE BIDDER

- 1. We are eligible and possess the necessary professional, technical, financial and managerial resources and competence required by the Bidding Document issued by the Procuring Entity.
- 2. We have fulfilled our obligation to pay such of the taxes payable to the Central Government or the State Govt or any local authority as specified in the Bidding Document.
- 3. We are not insolvent, in receivership, bankrupt or being wound up, not have our affairs administrated by a court or a judicial officer, not have our business activities suspended and not the subject of legal proceedings of any of the foregoing reasons.
- 4. We don't have, and our directions and the officers do not have, been convicted of any criminal offence related to our professional conduct or the making of false statement or misrepresentation as to our qualification to enter into a procurement process, or not have been otherwise disqualified pursuant to debarment proceedings.

Date: Signature of the authorized Bidder:

Place: Name:

Designation: Address:

Annexure - E

DISTRICTS WISE TARGETS FOR RURAL MASONS TRAINING (RPL)

District	Mason Trainee Target
Baksa	282
Barpeta	780
Biswanath	102
Bongaigaon	156
Cachar	402
Charaideo	72
Chirang	126
Darrang	336
Dhemaji	270
Dhubri	612
Dibrugarh	186
Dima Hasao	78
Goalpara	366
Golaghat	186
Hailakandi	192
Hojai	276
Jorhat	48
Kamrup	366
Kamrup (Metro)	30
Karbi Anglong	204
Karimganj	342
Kokrajhar	252
Lakhimpur	288
Majuli	30
Morigaon	438
Nagaon	552
Nalbari	156
Sivasagar	42
Sonitpur	198
South Salmara-Mankachar	264
Tinsukia	210
Udalguri	162
Total	8004